

Lancia Stratos GR.4

BODY SHELL

Official Licensed Product

NO.48861

Fit for 1/10 SCALE R/C RWD HIGH PERFORMANCE RACING CAR CHASSIS & Lancia Delta

Fit for KR10 1/10 4WD Rally Chassis Stratos ARR

MANUFACTURED UNDER LICENSE OF STELLANTIS EUROPE S.P.A. LANCIA IS A TRADEMARK OF AND LICENSED BY FCA GROUP MARKETING S.P.A.

killerbody

This body can be used with 1/10 electric touring car chassis (Long Wheelbase: 257mm, Width: Front:185mm Rear:202mm)

Before beginning assembly, please read these instructions thoroughly!

● Symbols used throughout the instruction manual, comprise:



Cut off shaded portion.



2/5/6mm
Drill holes with
the specified diameter.



Pay close attention here!



Must be purchased
separately.



Assemble left and right sides
the same way.



● Before Assembly

Decoration Body

- In the case of a decoration body, please assemble it according to the contents showed.

When making the window transparent

- If you want to make the window transparent with a non decoration body, please assemble it according to the contents showed.

Non Decoration Body

- In the case of non decoration body, please assemble it according to the contents showed.

When loading LED lights

- If you want to load LED lights with a non decoration body, please assemble it according to the contents showed.

PARTS


PC part ----- x3
 ABS part ----- x3
 Chromed parts ----- x1
 PS part ----- x1
 Silver mirror decal ----- x1
 Body decal sheet ----- x3
 Window masks ----- x1

 Screws 2.3x6mm ----- x16
 Screws 1.4x4mm ----- x4
 Screws 1.5x8mm ----- x8
 Flange screws 2x5x5mm ----- x3
 Clip ----- x2
 O-Ring ----- x3
 Car antenna ----- x1
 spring ----- x1


 Double-sided tape $\Phi 1.5\text{mm}$ ----- x4
 Double-sided tape 16.5x8x0.7mm ----- x1
 Square steel shaft 12.5x2x2mm ----- x1
 Double-sided tape thickness 1.3mm ----- x1

PLASTIC PARTS


A ABS part




B ABS part



C ABS part



E PS part




F Overspray film $\Phi 3\text{mm}$




PC part



D Chromed parts




1 Body Shell



2 Cutting


Cut and smooth rough edge.

A B C D E




3 Painting

Spray-paint these parts with your preferred color.
It is advised to use the recommended spray color as follows



A Front & rear painting








Paint white spray color from the outside.(AS)

1 Before painting, use a neutral detergent to remove any oil residues and dirt. PC1、PC2、PC3、PC4、PC5、PC6




2 Mask the parts from inside.




3 Paint white spray color from the inside. (PS)


PC1




PC2




PC3



PC4




PC5




PC6







4 After painting, remove the protective film from the body shell.
PC1、PC2、PC3、PC4、
PC5、PC6






4 PC Parts



5 Decal






6 Assembling

Clip
----- x2

O-Ring
----- x3

This accessory is optional.



B05



B03R

Car antenna

B10

Fixing with glue gun.

D06

Fixing with glue gun.

B02

B04R

O-Ring

Clip

D05L

B03L

Silver mirror decal

Fix the mirror with O-Ring.

Clip

O-Ring

Mirror

Body

7 Rear light

Screws 1.5x8mm

----- x4

Screws 2.3x6mm

----- x4

A03

C02

C02

C02

D02L

2.3x6mm

D02R

E02


1.5x8mm

1.5x8mm

8 Rear Wing

Screws 2.3x6mm

----- x3



9 Assemble the headlights

Screws 1.5x8mm

----- x4

Flange screws 2x5x5mm







----- x3

Screws 2.3x6mm




----- x5




Screws 1.4x4mm

----- x4




If you do not need to install the headlight light servo, skip steps 7 to 9.






This step is optional. It helps the body fit snugly with the square light assembly.



If you do not need to install the headlight light servo, install this accessory to fasten the headlight.




10 Wires Distribution



NO.48877 Accent Light 14LEDS (W/O Control Box)
(6 WHITE LIGHTS,2 RED LIGHTS,4 YELLOW LIGHTS)




- Fit for KILLERBODY 1/10 Lancia Stratos Gr.4 body exclusive accessories.
- Fit for 1/10 SCALE R/C RWD HIGH PERFORMANCE RACING CAR CHASSIS & Lancia Delta




- [9] Headlight Interface
- [7] Tail Light Interface
- [6] Headlight Interface
- [5] Left Turn Signal Light Interface
- [4] Right Turn Signal Light Interface

The car light interface is a standard 2.54mm x 2 Pins.


Due to limited wire length of the LED lights set, please pre-check proper fixture location before using 3M double-sided tape to fix it.
We suggest to fix the LED lights set at the nearest area to the signal receiver.



Front



Rear








NO.48876 Accent Light 14 LEDS (W/Control Box)
(6 WHITE LIGHTS,2 RED LIGHTS,4 YELLOW LIGHTS)




Suitable for independent ESCs and receivers.
Fit for KILLERBODY 1/10 Lancia Stratos Gr.4 body exclusive accessories.
Fit for KR10 1/10 4WD RALLY CHASSIS STRATOS ARR.



CH1 connects to the steering servo port (requires a Y-shaped cable), CH2 connects to the receiver.



Receiver installation location






Due to limited wire length of the LED lights set, please pre-check proper fixture location before using 3M double-sided tape to fix it. We suggest to fix the LED lights set at the nearest area to the signal receiver which on the bottom of the chassis.

Specific Functions:

1. Red indicator light will light up when power connected, LED light control system is power on.
2. System power on and all lights will light up when keeping turning L by remote controller for over 10 seconds.
3. System power on and all lights will light off when keeping turning R by remote controller for over 10 seconds.
4. All lights will flash when stop control for over 10 seconds; all lights will light up dimly when receiving any signals.
5. "A" light mode is normal cars light mode.
6. "B" light mode is keeping flashing mode.
7. Port 1/2/3/4 on the box is for FORWARD.
8. Port 5/6 on the box is for BACKWARD.
9. Port L/R on the box is for TURN L/R.
10. Two sets of Servo&ESC Receiver on right side of the box.

11 Installation of cockpit and chassis



OPTION PARTS & ACCESSORY

NO.	Part Names
48860	1/10 Lancia Stratos Gr.4 Finished Body
48861	1/10 Lancia Stratos Gr.4 Clear Body
48838S	1/10 4WD Rally Chassis Stratos ARR
48837R	1/10 R/C RWD High Performance Racing Car Chassis & Lancia Delta
48874	DIY Transparent Cockpit Fit for 1/10 Lancia Stratos Gr.4 body
48875	Finished Cockpit Fit for 1/10 Lancia Stratos Gr.4 body
48876	Accent Light 12LEDS (W/Control Box)
48877	Accent Light 12LEDS (W/O Control Box)
48878	Headlight flip servo