

1/14 6x6 Nashorn Semi Truck (FMX) Instruction



Scale: 1:14

Size: length 550, width 200, height 240, unit MM


Weight: 6.5 KG, plus remote control 7KG

Theoretical traction quality: 60KG

Remote control: FS-I6S with 6-way receiver

Note: The radio control uses 4 AA batteries, the main truck uses battery with 11.1V 3S lithium battery or 12V battery, the battery connector is XT60.

Operation steps: Firstly, open the radio control, (the radio control switch should be in the up position,), then connect the main vehicle power supply, waiting for finishing the confirmation of signal sound to the next operation (in around 5 seconds). If operating in advance, it is possible to make the ESC enter Setting mode and can not work properly.




Before turning on the remote control, please check each switch position up and the joystick back to the neutral position. After confirming, the switch can be opened.

Battery installation for the radio control: use 4 AA batteries and pay attention to the positive and negative while installing.


Battery installation of the main truck: Firstly, measure the voltage (For the battery and power monitor, please purchase 3S lithium


battery within the size of 150*45*40MM), the voltage can not be lower than 11.1V, as shown:



Opening and closing the headstock

Gently push up with your hand














3. Insert the battery, the battery is connected
(Note: the remote control should be turned on
before connecting the battery)

After connection, you will hear the sound like “di di di....”. The radio control can be operated only after the sound is confirmed for about 5 seconds.

Debug the locking differential: as shown in the pictures, this is the status of testing 4 axles without locking differential

After connecting the remote control and battery, the car is inverted and the remote control is operated forward or backward.





Steering testing

The angle between the two tires can be adjusted by this bar to meet the requirement of straight-line walking.

