



XRT® (Model 78086-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

7890	Ball bearing kit, X-Maxx®/XRT® (complete)
5106A	Ball bearing, black rubber sealed (15x24x5mm) (2)
5108A	Ball Bearing, black rubber sealed (15x26x5) (2)
5107A	Ball Bearing, black rubber sealed (17x26x5) (2)
5196A	Ball bearing, black rubber sealed (20x32x7mm) (2)
5196X	Ball bearing, black rubber sealed, stainless (20x32x7mm) (2)
5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)
5180A	Ball bearings, black rubber sealed (6x13x5mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5124	Ball bearings, blue rubber sealed (4x7x2.5mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)

Body & Accessories

7825	Body mounts, front
7815	Body mounts, front & rear
7826	Body mounts, rear
7813	Body support (includes front mount & rear latch, roof & hood skid pads)/ 3x12mm CS (19) (attaches to #7812 body)
7812	Body, XRT® (clear, requires painting)/ window masks/ decal sheet
7840	Body, XRT®, black (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roof & hood skid pads)
7812A	Body, XRT®, blue (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roof & hood skid pads)
7812G	Body, XRT®, green (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roof & hood skid pads)
7812T	Body, XRT®, orange (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roof & hood skid pads)
7812X	Body, XRT®, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet
7812R	Body, XRT®, red (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roof & hood skid pads)
7899	Body, XRT®, Rock n' Roll (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roof & hood skid pads)
7898	Body, XRT®, Solar Flare (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roof & hood skid pads)
7823	Latch, body mount, front (for clipless body mounting)/ 3x12mm CS (6) (attaches to #7812 body)
7824	Latch, body mount, rear (for clipless body mounting)/ 3x12mm CS (4) (attaches to #7812 body)
7814	Skid pads (hood scoop)/ mount/ 3x12mm CS (11) (attaches to #7812 body)
7816	Skid pads (roof)/ 3x12mm CS (8) (attaches to #7812 body)

Bumpers & Skidplates

7834	Bumper mount, rear
7835	Bumper, front/ bumper mount, front
7837	Skid plate, center
7844	Skid plate, front (1), rear (1)/ rubber impact cushion (1)

Chassis & Attachments

3698	Access plug, rubber (receiver box)
7833	Battery hold-down mounts, left (2)/ right (2)/ 4x15mm CCS (4)
7819	Battery hold-down/ battery compartment spacers/ foam pads
7825	Body mounts, front
7815	Body mounts, front & rear
7826	Body mounts, rear
7724X	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x15 CS (4)
7834	Bumper mount, rear
7835	Bumper, front/ bumper mount, front
7822X	Chassis
7819X	Foam pads, battery compartment
7723	Nerf bars, chassis (2)
7820	Servo mount/ bulkhead cover/ chassis brace/ steering cover/ 3x12mm CS (2)/ 3x8mm CS (2)
7837	Skid plate, center
7844	Skid plate, front (1), rear (1)/ rubber impact cushion (1)
7799	Tires, rubber (2) (fits Traxxas® #7775X wheelie bar wheels)
7776	Wheelie bar, black (assembled)
7775	Wheels, wheelie bar (2)/ axles, wheelie bar (2)/ 10x15x4 plastic bushings (4) (for #7776, 8976, or 9576 wheelie bar)
7775X	Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)

7775A	Wheels, wheelie bar, 6061-T6 aluminum (dark titanium-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)
7775G	Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)
7775T	Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)
7775R	Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)
7818	Wing mount
7821X	Wing, blue/ 4x12mm FCS (4)
7821G	Wing, green/ 4x12mm FCS (4)
7821T	Wing, orange/ 4x12mm FCS (4)
7821R	Wing, red/ 4x12mm FCS (4)
7821	Wing/ 4x12mm FCS (4)

Cush Drive Components

7794	Cush drive key/ pin/ elastomer damper
7793X	Housing, cush drive (front & rear halves)
6442	Spur gear, 46-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)
6447R	Spur gear, 46-tooth, steel (wide-face, 1.0 metric pitch)
6443	Spur gear, 50-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)
6448R	Spur gear, 50-tooth, steel (wide-face, 1.0 metric pitch)
6444	Spur gear, 54-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)
6449X	Spur gear, 54-tooth, steel (1.0 metric pitch)
6449R	Spur gear, 54-tooth, steel (wide-face, 1.0 metric pitch)

Differential Components

7781X	Carrier, differential (aluminum)/ (requires #7783X spider gear shaft)
7781	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 16X23.5X.5 TW
5136X	Differential oil kit (1 each: 10K, 30K, 50K weights)
7880	Differential, front, complete (fits X-Maxx® 8s or XRT®)
7881	Differential, rear, complete (fits X-Maxx® 8s or XRT®)
7782	Gear set, differential (output gears (2)/ spider gears (4)/16X23.5X.5 TW(2))
5041	Grease, premium high performance (20cc)
7780	Housing, differential (front/rear)
7780-BLUE	Housing, differential (front/rear), 6061-T6 aluminum (blue-anodized)
7780-GRAY	Housing, differential (front/rear), 6061-T6 aluminum (gray-anodized)
7780-GRN	Housing, differential (front/rear), 6061-T6 aluminum (green-anodized)
7780-ORNG	Housing, differential (front/rear), 6061-T6 aluminum (orange-anodized)
7780-RED	Housing, differential (front/rear), 6061-T6 aluminum (red-anodized)
5040	Oil, differential (20M wt) (standard)
7790	Pinion gear, differential, 11-tooth (front) (heavy duty) (use with #7792 35-tooth differential ring gear)
7791	Pinion gear, differential, 11-tooth (rear) (heavy duty) (use with #7792 35-tooth differential ring gear)
7792	Ring gear, differential, 35-tooth (heavy duty) (use with #7790, #7791 11-tooth differential pinion gears)
7783X	Spider gear shaft (2)/ spacers (4)/16x23.5x.5 stainless washer (2) (for #7781X aluminum differential carrier)
7783	Spider gear shaft (2)/ spacers (4)/16X23.5X.5 TW (2)

Driveline Components

7851	Bushings, driveshaft, front (1), rear (1)
7794	Cush drive key/ pin/ elastomer damper
7754X	Drive cup (1)/ 3x8mm CS (for use only with #7750X driveshaft)
10949	Drive cup, steel, extreme durability (1)/ 3x8mm CS (use only with #7750X & 7896 driveshafts) (machined, heat treated)
7754R	Drive cup, steel, extreme heavy duty (2)/ 3x8mm CS, heavy duty (2) (use only with #7750X or 7896 driveshaft) (machined, heat treated)
7755	Driveshaft assembly, center, aluminum
5040	Oil, differential (20M wt) (standard)
7751X	Rebuild kit, steel constant-velocity driveshaft (includes pins for 2 driveshaft assemblies (for use only with #7750X driveshaft)
7836-BLUE	Steering blocks, 6061-T6 aluminum (blue-anodized), left & right
7836-GRAY	Steering blocks, 6061-T6 aluminum (gray-anodized), left & right

Page 2 XRT®: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 78086-4) Parts List

7836-GRN	Steering blocks, 6061-T6 aluminum (green-anodized), left & right
7836-ORNG	Steering blocks, 6061-T6 aluminum (orange-anodized), left & right
7836-RED	Steering blocks, 6061-T6 aluminum (red-anodized), left & right
7836	Steering blocks, left & right
7836X	Steering blocks, left & right/ caster blocks (c-hubs), left & right/ 20x32x7mm bearings (2)/ 15x24x5mm bearings (2)
7768A	Stub axle, aluminum (black-anodized) (1) (for use only with #7750X or 7896 driveshaft)
7768	Stub axle, aluminum, (blue-anodized) (1) (for use only with #7750X or 7896 driveshaft)
7768G	Stub axle, aluminum, (green-anodized) (1) (for use only with #7750X or 7896 driveshaft)
7768T	Stub axle, aluminum, (orange-anodized) (1) (for use only with #7750X or 7896 driveshaft)
7768R	Stub axle, aluminum, (red-anodized) (1) (for use only with #7750X or 7896 driveshaft)
7758A	Wheel nuts, splined, 17mm, serrated (black-anodized) (4)
7758	Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)
7758-GRAY	Wheel nuts, splined, 17mm, serrated (gray-anodized) (4)
7758G	Wheel nuts, splined, 17mm, serrated (green-anodized) (4)
7758T	Wheel nuts, splined, 17mm, serrated (orange-anodized) (4)
7758R	Wheel nuts, splined, 17mm, serrated (red-anodized) (4)

Front Suspension & Steering

7869	Bellcrank bushing, steering (1) (for use with #7843 aluminum steering bellcranks)
7726	Bulkhead tie bar, upper (1)/ lower (2) (steel)
7828	Bulkhead, front (lower)
7720X	Bulkhead, front (upper)
7835	Bumper, front/ bumper mount, front
7832-BLUE	Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized), left & right
7832-GRAY	Caster blocks (c-hubs), 6061-T6 aluminum (gray-anodized), left & right
7832-GRN	Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized), left & right
7832-ORNG	Caster blocks (c-hubs), 6061-T6 aluminum (orange-anodized), left & right
7832-RED	Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized), left & right
7832	Caster blocks (c-hubs), left & right
7879-BLUE	Drag link, 6061-T6 aluminum (blue-anodized)
7879-GRAY	Drag link, 6061-T6 aluminum (gray-anodized)
7879-GRN	Drag link, 6061-T6 aluminum (green-anodized)
7879-ORNG	Drag link, 6061-T6 aluminum (orange-anodized)
7879-RED	Drag link, 6061-T6 aluminum (red-anodized)
7716	Mount, tie bar, front (1)/ rear (1)
7747-BLUE	Servo horn, steering, 6061-T6 aluminum (blue-anodized)
7747-GRAY	Servo horn, steering, 6061-T6 aluminum (gray-anodized)
7747-GRN	Servo horn, steering, 6061-T6 aluminum (green-anodized)
7747-ORNG	Servo horn, steering, 6061-T6 aluminum (orange-anodized)
7747-RED	Servo horn, steering, 6061-T6 aluminum (red-anodized)
7847	Servo horn, steering/ linkage, steering (48mm, assembled with pivot balls)
7839	Shock tower, front (left & right halves)
7843-BLUE	Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, blue-anodized) (fits XRT® or Pro Scale® Sand Car)
7843-GRAY	Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, gray-anodized) (fits XRT® or Pro Scale® Sand Car)
7843-GRN	Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, green-anodized) (fits XRT® or Pro Scale® Sand Car)
7843-ORNG	Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, orange-anodized) (fits XRT® or Pro Scale® Sand Car)
7843-RED	Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, red-anodized) (fits XRT® or Pro Scale® Sand Car)
7843	Steering bellcranks/ servo saver/ servo saver spring/ draglink/ 3x20mm shoulder screws (2)
7836-BLUE	Steering blocks, 6061-T6 aluminum (blue-anodized), left & right
7836-GRAY	Steering blocks, 6061-T6 aluminum (gray-anodized), left & right
7836-GRN	Steering blocks, 6061-T6 aluminum (green-anodized), left & right
7836-ORNG	Steering blocks, 6061-T6 aluminum (orange-anodized), left & right
7836-RED	Steering blocks, 6061-T6 aluminum (red-anodized), left & right
7836	Steering blocks, left & right
7836X	Steering blocks, left & right/ caster blocks (c-hubs), left & right/ 20x32x7mm bearings (2)/ 15x24x5mm bearings (2)
7746X	Steering link, steel/ servo saver spring, heavy duty (use with #2085X metal gear servo)
7894	Suspension arm, lower, black (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)

7893	Suspension arm, lower, black (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7894X	Suspension arm, lower, blue (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7893X	Suspension arm, lower, blue (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7894G	Suspension arm, lower, green (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7893G	Suspension arm, lower, green (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7894T	Suspension arm, lower, orange (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7893T	Suspension arm, lower, orange (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7894R	Suspension arm, lower, red (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7893R	Suspension arm, lower, red (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7892	Suspension arms, upper, black (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7892X	Suspension arms, upper, blue (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7892G	Suspension arms, upper, green (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7892T	Suspension arms, upper, orange (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7892R	Suspension arms, upper, red (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7743	Suspension pin retainer (4)
7743-BLUE	Suspension pin retainer, 6061-T6 aluminum (blue-anodized) (4)
7743-GRAY	Suspension pin retainer, 6061-T6 aluminum (gray-anodized) (4)
7743-GRN	Suspension pin retainer, 6061-T6 aluminum (green-anodized) (4)
7743-ORNG	Suspension pin retainer, 6061-T6 aluminum (orange-anodized) (4)
7743-RED	Suspension pin retainer, 6061-T6 aluminum (red-anodized) (4)
7740	Suspension pin set, front or rear corner (hardened steel), 4x85mm (1), 4x47mm (3), 4x33mm (2) (qty 4, #7740 required for complete set)
7742	Suspension pin set, shock mount (front or rear, hardened steel), 4x25mm (2), 4x38mm (2)
7741	Suspension pins, 4x85mm (hardened steel) (2)

Hardware

4859	CS 3x10 flathead (hex drive)
3474X	Dual cooling fan kit, low profile (with shroud) (fits #3491 motor)
7998X	Hardware kit, black stainless steel, XRT® (contains all stainless steel hardware used on XRT®)
7998	Hardware kit, XRT® (contains all hardware used on XRT®)
2584	Head screws, 3x12mm cap-head machine (hex drive) (6) (TRX® 2.5, 2.5R, 3.3)
4955	Pins, axle (2.5x12mm) (4)
3234	Screws, 2.5x14mm cap-head machine (hex drive) (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2587	Screws, 3x10mm caphead machine (6) (no washer)
2551	Screws, 3x10mm countersunk machine (6) (hex drive)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
2581	Screws, 3x25mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
2535	Screws, 4x10mm countersunk machine (hex drive) (6)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
3938	Screws, 4x14mm button-head machine (hex drive) (6)
2594	Screws, 4x15mm button-head machine (hex drive) (6)
2546	Screws, 4x15mm countersunk machine (hex drive) (6)
3933	Screws, 4x16mm button-head machine (hex drive) (6)
2547	Screws, 4x18mm countersunk machine (hex drive) (6)
2589	Screws, 4x20mm button-head machine (hex drive) (6)
2597	Screws, 4x22mm button-head machine (hex drive) (6)
2596	Screws, 4x25mm button-head machine (hex drive) (6)
2598X	Screws, 4x30mm button-head machine (hex drive) (6)
2595	Screws, 4x35mm button-head machine (hex drive) (6)
4897X	Screws, set (grub), 4mm (with heavy duty threadlock) (6)
2743	Set (grub) screws, 3mm hardened (12)
3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
5480X	Wheel wrench, splined, 17mm

LED Lights

7882	Extension harness, LED lights (high-voltage)
6590	High-Voltage Power Amplifier
7884	LED light bar, front (high-voltage) (40 white LEDs (double row), 82mm wide) (fits Maxx®, Maxx Slash®, X-Maxx®, or XRT®)

Page 3 XRT®: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 78086-4) Parts List

7883X	LED light bar, rear, red (with white reverse light) (high-voltage) (24 red LEDs, 24 white LEDs, 100mm wide)/ light bar mount (fits Maxx®, X-Maxx®, or XRT®)
7885	LED light kit, complete (includes #6590 high-voltage power amplifier)

Motors & Electronics

7749	Adapter, standard servo (adapts standard servo to fit in Maxx®, X-Maxx®, XRT® or Pro Scale® Sand Car)
3475	Cooling fan, Velineon® VXL ESC (fits VXL-6s & VXL-8s)
7787-BLUE	Cover, gear (blue-anodized 6061-T6 aluminum)
7787-GRAY	Cover, gear (gray-anodized 6061-T6 aluminum)
7787-GRN	Cover, gear (green-anodized 6061-T6 aluminum)
7787-ORNG	Cover, gear (orange-anodized 6061-T6 aluminum)
7787-RED	Cover, gear (red-anodized 6061-T6 aluminum)
7887	Covers, gear (3)
3474X	Dual cooling fan kit, low profile (with shroud) (fits #3491 motor)
2087X	Gear set, metal (for 2085, 2085X servos)
3362X	Heat sink, low profile, Velineon® 1200XL
3362-BLUE	Heat sink, low profile, Velineon® 1200XL (aluminum, blue-anodized)
7760	Motor mounts (front and rear)/ pins (2)
7760-BLUE	Motor mounts, 6061-T6 aluminum (blue-anodized) (front & rear)
7760-GRAY	Motor mounts, 6061-T6 aluminum (gray-anodized) (front & rear)
7760-GRN	Motor mounts, 6061-T6 aluminum (green-anodized) (front & rear)
7760-ORNG	Motor mounts, 6061-T6 aluminum (orange-anodized) (front & rear)
7760-RED	Motor mounts, 6061-T6 aluminum (red-anodized) (front & rear)
3491	Motor, Velineon® 1200XL, brushless
3492	Rebuild kit, Velineon® 1200XL (includes plastic endbells (2), 6x17x6mm ball bearings (2), 6x8x.3 washer (1), 6x8x1 washer (1), 7x6x12 spacer (1))
2086	Servo case/gaskets (for 2085, 2085R, & 2085X servos)
2085XL	Servo, digital high-torque, metal gear (ball bearing), waterproof/ servo saver spring/ steering link <i>The 2085 servo with metal gears is not available for sale as a replacement part. Use 2085XL or 2085RL for replacement.</i>
2085RL	Servo, digital high-torque/high-speed, metal gear (ball bearing), waterproof <i>The 2085 servo with metal gears is not available for sale as a replacement part. Use 2085XL or 2085RL for replacement.</i>
7878X	Spacer, motor shaft (steel)/ e-clip (1)
3496T	Velineon® VXL-8s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
7759	Washers, motor mount, aluminum (blue-anodized) (4)/ 4x18mm BCS (4)
7759-GRAY	Washers, motor mount, aluminum (gray-anodized) (4)/ 4x18mm BCS (4)
7759G	Washers, motor mount, aluminum (green-anodized) (4)/ 4x18mm BCS (4)
7759-ORNG	Washers, motor mount, aluminum (orange-anodized) (4)/ 4x18mm BCS (4)
7759R	Washers, motor mount, aluminum (red-anodized) (4)/ 4x18mm BCS (4)

Radio System, Batteries & Chargers

2872X	5000mah 11.1v 3-Cell 25C LiPo Battery
2889X	5000mah 14.8v 4-Cell 25C LiPo Battery (long)
2857X	6400mah 11.1v 3-Cell 25C LiPo Battery
2890X	6700mah 14.8v 4-Cell 25C LiPo Battery
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2943	Battery charge indicators, green (4), grey (4), blue (4)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2914	Battery, Power Cell AA Alkaline (4)
2990	Battery/charger completer pack (includes #2972 Dual iD charger (1), #2872X 5000mAh 11.1V 3-cell 25C LiPo iD® Battery (2))
2997	Battery/charger completer pack (includes #2973 Dual iD charger (1), #2890X 6700mAh 14.8V 4-cell 25C LiPo iD® Battery (2))
2972	Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
2970	Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
6525	Communication link, telemetry expander
6565	Data link, telemetry expander (connects #6550X telemetry expander 2.0 to the #6590 high-voltage power amplifier)

6566	Data link, telemetry expander (connects #6550X telemetry expander 2.0 to the Velineon® #3465 VXL-4s, #3485 Velineon® VXL-6s, or #3496 Velineon® VXL-8s electronic speed control)
2971	EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®
2087X	Gear set, metal (for 2085, 2085X servos)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6533X	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
6526	Sensor, auto-detectable, temperature
6527	Sensor, auto-detectable, voltage
6531	Sensor, temperature & voltage (fits X-Maxx®, XRT® or Pro Scale® Sand Car)
6521	Sensor, temperature and voltage (long)
2086	Servo case/gaskets (for 2085, 2085R, & 2085X servos)
2085XL	Servo, digital high-torque, metal gear (ball bearing), waterproof/ servo saver spring/ steering link <i>The 2085 servo with metal gears is not available for sale as a replacement part. Use 2085XL or 2085RL for replacement.</i>
2085RL	Servo, digital high-torque/high-speed, metal gear (ball bearing), waterproof <i>The 2085 servo with metal gears is not available for sale as a replacement part. Use 2085XL or 2085RL for replacement.</i>
6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6509R	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
6507R	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
6528	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529X	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
6530	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511	Traxxas® Link Bluetooth® module

Ready-To-Race Model

78086-4	XRT™: Brushless Electric Race Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)®
---------	---

Rear Suspension

7726	Bulkhead tie bar, upper (1)/ lower (2) (steel)
7827R	Bulkhead, rear (lower)/ motor mount washers (steel) (4)/ 4x18mm BCS (4)
7727R	Bulkhead, rear (upper) (fits X-Maxx® 8s or XRT®)
7852-BLUE	Carriers, stub axle (blue-anodized 6061-T6 aluminum) (left & right)
7852-GRAY	Carriers, stub axle (gray-anodized 6061-T6 aluminum) (left & right)
7852-GRN	Carriers, stub axle (green-anodized 6061-T6 aluminum) (left & right)
7852-ORNG	Carriers, stub axle (orange-anodized 6061-T6 aluminum) (left & right)
7852	Carriers, stub axle (rear) (left & right)
7852X	Carriers, stub axle (rear) (left & right)/ 20x32x7mm bearings (2)/ 15x24x5mm bearings (2)
7852-RED	Carriers, stub axle (red-anodized 6061-T6 aluminum) (left & right)
7716	Mount, tie bar, front (1)/ rear (1)
7838	Shock tower, rear (left & right halves)
7894	Suspension arm, lower, black (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7893	Suspension arm, lower, black (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7894X	Suspension arm, lower, blue (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7893X	Suspension arm, lower, blue (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7894G	Suspension arm, lower, green (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7893G	Suspension arm, lower, green (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7894T	Suspension arm, lower, orange (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)

Page 4 XRT®: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 78086-4) Parts List

7893T	Suspension arm, lower, orange (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7894R	Suspension arm, lower, red (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7893R	Suspension arm, lower, red (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7892	Suspension arms, upper, black (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7892X	Suspension arms, upper, blue (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7892G	Suspension arms, upper, green (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7892T	Suspension arms, upper, orange (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7892R	Suspension arms, upper, red (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7743	Suspension pin retainer (4)
7743-BLUE	Suspension pin retainer, 6061-T6 aluminum (blue-anodized) (4)
7743-GRAY	Suspension pin retainer, 6061-T6 aluminum (gray-anodized) (4)
7743-GRN	Suspension pin retainer, 6061-T6 aluminum (green-anodized) (4)
7743-ORNG	Suspension pin retainer, 6061-T6 aluminum (orange-anodized) (4)
7743-RED	Suspension pin retainer, 6061-T6 aluminum (red-anodized) (4)
7740	Suspension pin set, front or rear corner (hardened steel), 4x85mm (1), 4x47mm (3), 4x33mm (2) (qty 4, #7740 required for complete set)
7742	Suspension pin set, shock mount (front or rear, hardened steel), 4x25mm (2), 4x38mm (2)
7741	Suspension pins, 4x85mm (hardened steel) (2)

Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
5038	Spinning carousel rack

Shocks (GTX)

7866A	Body, GTX shock, medium (aluminum, black-anodized) (1)
7866	Body, GTX shock, medium (aluminum, blue-anodized) (1)
7866G	Body, GTX shock, medium (aluminum, green-anodized) (1)
7866T	Body, GTX shock, medium (aluminum, orange-anodized) (1)
7866R	Body, GTX shock, medium (aluminum, red-anodized) (1)
7866X	Body, GTX shock, medium (hard-anodized, PTFE-coated aluminum) (1)
7762X	Rebuild kit, GTX shocks (lower cartridge, assembled, pistons, piston nuts, bladders) (renews 2 shocks)
7764A	Shock caps, aluminum (blue-anodized), GTX shocks (4)/ spacers (8)
7764-GRAY	Shock caps, aluminum (gray-anodized), GTX shocks (4)/ spacers (8)
7764G	Shock caps, aluminum (green-anodized), GTX shocks (4)/ spacers (8)
7764X	Shock caps, aluminum (hard anodized, PTFE-coated), GTX shocks (4)/ spacers (8)
7764-ORNG	Shock caps, aluminum (orange-anodized), GTX shocks (4)/ spacers (8)
7764R	Shock caps, aluminum (red-anodized), GTX shocks (4)/ spacers (8)
7764	Shock caps, GTX shocks/ spring perch/ adjusters/ 2.5x14 CS (2) (for 2 shocks)
7863	Shock shaft, 92mm (GTX) (steel, chrome finish) (2) (assembled with rod ends & hollow balls)
7863T	Shock shaft, 92mm (GTX) (TiN-coated) (2) (assembled with rod ends & hollow balls)
7861A	Shocks, GTX, medium (aluminum, black-anodized) (fully assembled w/o springs) (2)
7861	Shocks, GTX, medium (aluminum, blue-anodized) (fully assembled w/o springs) (2)
7861G	Shocks, GTX, medium (aluminum, green-anodized) (fully assembled w/o springs) (2)
7861T	Shocks, GTX, medium (aluminum, orange-anodized) (fully assembled w/o springs) (2)
7861R	Shocks, GTX, medium (aluminum, red-anodized) (fully assembled w/o springs) (2)
7888	Spacer, shock cap, 6061-T6 aluminum (black-anodized) (8)
7767	Spring retainer (adjuster), blue-anodized aluminum, GTX shocks (4) (assembled with o-ring)

7767G	Spring retainer (adjuster), green-anodized aluminum, GTX shocks (4) (assembled with o-ring)
7767X	Spring retainer (adjuster), PTFE-coated aluminum, GTX shocks (4) (assembled with o-ring)
7767R	Spring retainer (adjuster), red-anodized aluminum, GTX shocks (4) (assembled with o-ring)
7845	Springs, shock, medium (natural finish) (GTX) (2.355 rate) (2)
7841	Springs, shock, medium (natural finish) (GTX) (2.599 rate, white stripe) (2)
7865	Springs, shock, medium (natural finish) (GTX) (2.899 rate, orange stripe) (2)
7864	Springs, shock, medium (natural finish) (GTX) (3.141 rate, green stripe) (2)
7859	Springs, shock, medium (natural finish) (GTX) (3.445 rate, tan stripe) (2)
7849	Springs, shock, medium (natural finish) (GTX) (3.744 rate) (2)
7842	Springs, shock, medium (natural finish) (GTX) (4.101 rate, pink stripe) (2)
7848	Springs, shock, medium (natural finish) (GTX) (4.594 rate, blue stripe) (2)
7850	Springs, shock, medium (natural finish) (GTX) (5.059 rate, red stripe) (2)
7846	Springs, shock, medium (natural finish) (GTX) (5.543 rate, yellow stripe) (2)

Spur Gears & Pinion Gears

6484X	Gear, 11-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6485X	Gear, 12-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6486X	Gear, 13-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6488X	Gear, 14-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6487X	Gear, 15-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6489X	Gear, 16-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6490X	Gear, 17-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6491X	Gear, 18-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6480X	Gear, 19-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6494X	Gear, 20-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6494R	Gear, 20-T pinion (machined, hardened steel) (1.0 metric pitch) (fits 5mm shaft)/ set screw
6493X	Gear, 21-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6495X	Gear, 22-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6481X	Gear, 23-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6442	Spur gear, 46-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)
6447R	Spur gear, 46-tooth, steel (wide-face, 1.0 metric pitch)
6443	Spur gear, 50-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)
6450	Spur gear, 50-tooth (machined, hardened steel) (wide-face)/ gear, 20-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw
6448R	Spur gear, 50-tooth, steel (wide-face, 1.0 metric pitch)
6444	Spur gear, 54-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)
6449X	Spur gear, 54-tooth, steel (1.0 metric pitch)
6449R	Spur gear, 54-tooth, steel (wide-face, 1.0 metric pitch)

Steering Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
7869	Bellcrank bushing, steering (1) (for use with #7843 aluminum steering bellcranks)
7879-BLUE	Body, X-Maxx® Ultimate, blue (painted, decals applied) (assembled with front & rear body mounts, rear body support, roof skid p
7879-GRAY	Drag link, 6061-T6 aluminum (gray-anodized)
7879-GRN	Drag link, 6061-T6 aluminum (green-anodized)
7879-ORNG	Drag link, 6061-T6 aluminum (orange-anodized)
7879-RED	Drag link, 6061-T6 aluminum (red-anodized)
7747-BLUE	Servo horn, steering, 6061-T6 aluminum (blue-anodized)
7747-GRAY	Servo horn, steering, 6061-T6 aluminum (gray-anodized)
7747-GRN	Servo horn, steering, 6061-T6 aluminum (green-anodized)
7747-ORNG	Servo horn, steering, 6061-T6 aluminum (orange-anodized)
7747-RED	Servo horn, steering, 6061-T6 aluminum (red-anodized)

Page 5 XRT®: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 78086-4) Parts List

7847	Servo horn, steering/ linkage, steering (48mm, assembled with pivot balls)
7843-BLUE	Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, blue-anodized) (fits XRT® or Pro Scale® Sand Car)
7843-GRAY	Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, gray-anodized) (fits XRT® or Pro Scale® Sand Car)
7843-GRN	Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, green-anodized) (fits XRT® or Pro Scale® Sand Car)
7843-ORNG	Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, orange-anodized) (fits XRT® or Pro Scale® Sand Car)
7843-RED	Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, red-anodized) (fits XRT® or Pro Scale® Sand Car)
7843	Steering bellcranks/ servo saver/ servo saver spring/ draglink/ 3x20mm shoulder screws (2)
7746X	Steering link, steel/ servo saver spring, heavy duty (use with #2085X metal gear servo)
7897	Toe links, 202.5mm (187.5mm center to center) (black) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7897A	Toe links, front (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7897X	Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895X X-Maxx® WideMaxx® suspension kit)
7897G	Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895G X-Maxx® WideMaxx® suspension kit)
7897R	Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895R X-Maxx® WideMaxx® suspension kit)

Suspension Linkage

7798	Insert, threaded steel (replacement inserts for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X) (includes (1) left and (1) right threaded insert)
7797	Rod ends (4) (assembled with steel pivot balls) (replacement ends for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X)
7743	Suspension pin retainer (4)
7743-BLUE	Suspension pin retainer, 6061-T6 aluminum (blue-anodized) (4)
7743-GRAY	Suspension pin retainer, 6061-T6 aluminum (gray-anodized) (4)
7743-GRN	Suspension pin retainer, 6061-T6 aluminum (green-anodized) (4)
7743-ORNG	Suspension pin retainer, 6061-T6 aluminum (orange-anodized) (4)
7743-RED	Suspension pin retainer, 6061-T6 aluminum (red-anodized) (4)
7740	Suspension pin set, front or rear corner (hardened steel), 4x85mm (1), 4x47mm (3), 4x33mm (2) (qty 4, #7740 required for complete set)
7742	Suspension pin set, shock mount (front or rear, hardened steel), 4x25mm (2), 4x38mm (2)
7741	Suspension pins, 4x85mm (hardened steel) (2)
7897	Toe links, 202.5mm (187.5mm center to center) (black) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7897A	Toe links, front (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7897X	Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895X X-Maxx® WideMaxx® suspension kit)
7897G	Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895G X-Maxx® WideMaxx® suspension kit)
7897R	Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895R X-Maxx® WideMaxx® suspension kit)

Team Traxxas Items

2514	Decal sheet, racing sponsors
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

7772A	Tires & wheels, assembled, glued (X-Maxx® black chrome wheels, Maxx® AT tires, foam inserts) (left & right) (2)
7774A	Tires & wheels, assembled, glued (X-Maxx® black chrome wheels, Sledgehammer® tires, foam inserts) (left & right) (2)
7871X	Tires & wheels, assembled, glued (X-Maxx® black chrome wheels, Sledgehammer® belted tires, dual profile (4.3" outer, 5.7" inner), foam inserts) (left & right)
7877	Tires & wheels, assembled, glued (X-Maxx® black wheels, Gravix® tires, foam inserts) (left & right)
7772X	Tires & wheels, assembled, glued (X-Maxx® black wheels, Maxx® AT tires, foam inserts) (left & right) (2)
7773	Tires & wheels, assembled, glued (X-Maxx® black wheels, paddle tires, foam inserts) (left & right) (2)

7871	Tires & wheels, assembled, glued (X-Maxx® black wheels, Sledgehammer® belted tires, dual profile (4.3" outer, 5.7" inner), foam inserts) (left & right)
7772G	Tires & wheels, assembled, glued (X-Maxx® green wheels, Maxx® AT tires, foam inserts) (left & right) (2)
7774G	Tires & wheels, assembled, glued (X-Maxx® green wheels, Sledgehammer® tires, foam inserts) (left & right) (2)
7772T	Tires & wheels, assembled, glued (X-Maxx® orange wheels, Maxx® AT tires, foam inserts) (left & right) (2)
7774T	Tires & wheels, assembled, glued (X-Maxx® orange wheels, Sledgehammer® tires, foam inserts) (left & right) (2)
7772R	Tires & wheels, assembled, glued (X-Maxx® satin chrome wheels, Maxx® AT tires, foam inserts) (left & right) (2)
7862X	Tires & wheels, assembled, glued (XRT® Race black chrome wheels, Gravix® belted tires, dual profile (4.3" outer, 5.7" inner) foam inserts) (left & right)
7862	Tires & wheels, assembled, glued (XRT® Race black wheels, Gravix® belted tires, dual profile (4.3" outer, 5.7" inner), foam inserts) (left & right)
7872	Tires & wheels, assembled, glued (XRT® Race black wheels, Gravix® tires, foam inserts) (left & right)
7875	Tires & wheels, assembled, glued (XRT® Race black wheels, Maxx® AT tires, foam inserts) (left & right)
7876	Tires & wheels, assembled, glued (XRT® Race black wheels, Sledgehammer® tires, foam inserts) (left & right)
7860	Tires, Gravix® (belted, dual profile (4.3" outer, 5.7" inner)) (left & right)/ foam inserts (2)
7873	Tires, Gravix® (left & right)/ foam inserts (2)
7770X	Tires, Maxx® AT (left & right) (2)/ foam inserts (2)
7870	Tires, Sledgehammer® (belted, dual profile (4.3" outer, 5.7" inner)) (left & right)/ foam inserts (2)
7757	Wheel hex clips (6)
7756	Wheel hubs, hex (2)/ hex clips (2)
7756X	Wheel hubs, hex, aluminum (blue-anodized) (4)
7756-GRAY	Wheel hubs, hex, aluminum (gray-anodized) (4)
7756G	Wheel hubs, hex, aluminum (green-anodized) (4)
7756-ORNG	Wheel hubs, hex, aluminum (orange-anodized) (4)
7756R	Wheel hubs, hex, aluminum (red-anodized) (4)
7758A	Wheel nuts, splined, 17mm, serrated (black-anodized) (4)
7758	Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)
7758-GRAY	Wheel nuts, splined, 17mm, serrated (gray-anodized) (4)
7758G	Wheel nuts, splined, 17mm, serrated (green-anodized) (4)
7758T	Wheel nuts, splined, 17mm, serrated (orange-anodized) (4)
7758R	Wheel nuts, splined, 17mm, serrated (red-anodized) (4)
5480X	Wheel wrench, splined, 17mm
7771	Wheels, X-Maxx®, black (left and right)
7874	Wheels, XRT® Race, black (left and right)

Transmission Components

7796	Center drive, torque biasing (assembled)/ 17x26x5 ball bearings (2) (requires #7727A bulkheads)
7787-BLUE	Cover, gear (blue-anodized 6061-T6 aluminum)
7787-GRAY	Cover, gear (gray-anodized 6061-T6 aluminum)
7787-GRN	Cover, gear (green-anodized 6061-T6 aluminum)
7787-ORNG	Cover, gear (orange-anodized 6061-T6 aluminum)
7787-RED	Cover, gear (red-anodized 6061-T6 aluminum)
7887	Covers, gear (3)
7886	Gear set, overdrive (includes 47T output gear, 24T input gear, 3x10mm FCS (with threadlock) (4))
7785X	Input gear, transmission, 20-tooth/ 2.5x12mm pin
7786X	Input shaft, transmission (cush drive)
5040	Oil, differential (20M wt) (standard)
7784X	Output gear, 51-tooth, metal (requires #7785X input gear)

Traxxas Tools

3433X	Body reamer (aluminum handle)
3433	Body reamer (plastic handle)
3436	Cap, body reamer
3425	Rubber pit mat, 16x24x0.28
3426	Rubber pit mat, 36x20
3432	Scissors, curved tip
3431	Scissors, straight tip
8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
8720	Speed bit handle, large (overmolded)
8721	Speed bit handle, medium (one piece)
8722	Speed bit handle, premium (rubber overmold)

Page 6 XRT®: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 78086-4) Parts List

8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)
5480X	Wheel wrench, splined, 17mm

Turnbuckles & Threaded Rods

7798	Insert, threaded steel (replacement inserts for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X) (includes (1) left and (1) right threaded insert)
7797	Rod ends (4) (assembled with steel pivot balls) (replacement ends for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X)
7897	Toe links, 202.5mm (187.5mm center to center) (black) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7897A	Toe links, front (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7897X	Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895X X-Maxx® WideMaxx® suspension kit)
7897G	Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895G X-Maxx® WideMaxx® suspension kit)
7897R	Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895R X-Maxx® WideMaxx® suspension kit)

WideMaxx® Suspension Kit

7896	Driveshaft, steel constant velocity (shaft only, 190.3mm) (1) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7894	Suspension arm, lower, black (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7893	Suspension arm, lower, black (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7894X	Suspension arm, lower, blue (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7893X	Suspension arm, lower, blue (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7894G	Suspension arm, lower, green (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7893G	Suspension arm, lower, green (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7894T	Suspension arm, lower, orange (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7893T	Suspension arm, lower, orange (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7894R	Suspension arm, lower, red (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7893R	Suspension arm, lower, red (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7892	Suspension arms, upper, black (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7892X	Suspension arms, upper, blue (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7892G	Suspension arms, upper, green (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7892T	Suspension arms, upper, orange (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)

7892R	Suspension arms, upper, red (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7897	Toe links, 202.5mm (187.5mm center to center) (black) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7897A	Toe links, front (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7897X	Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895X X-Maxx® WideMaxx® suspension kit)
7897G	Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895G X-Maxx® WideMaxx® suspension kit)
7897R	Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895R X-Maxx® WideMaxx® suspension kit)

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM