



Funco® Pro Scale® Replica (Model 109076-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

Bearings & Bushings

5106A	Ball bearing, black rubber sealed (15x24x5mm) (2)
5107A	Ball Bearing, black rubber sealed (17x26x5) (2)
5196A	Ball bearing, black rubber sealed (20x32x7mm) (2)
5196X	Ball bearing, black rubber sealed, stainless (20x32x7mm) (2)
5106	Ball Bearing, blue rubber sealed (15x24x5) (2)
5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)
5101A	Ball bearings, black rubber sealed (12x21x5mm) (2)
5180A	Ball bearings, black rubber sealed (6x13x5mm) (2)
5118A	Ball bearings, black rubber sealed (8x16x5mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5124	Ball bearings, blue rubber sealed (4x7x2.5mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)

Body & Accessories

10911	Body, Funco® Pro Scale® Replica (clear, requires painting)/ decal sheet (requires #10912 body cage & #10914 interior for complete assembly)
10911-BLUE	Body, Funco® Pro Scale® Replica, blue (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roll cage & interior)
10911-GRN	Body, Funco® Pro Scale® Replica, green (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roll cage & interior)
10911-ORNG	Body, Funco® Pro Scale® Replica, orange (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roll cage & interior)
10911X	Body, Funco® Pro Scale® Replica, ProGraphix® (graphics are printed, requires paint & final color application)/ decal sheet (requires #10912 body cage & #10914 interior for complete assembly)
10911-RED	Body, Funco® Pro Scale® Replica, red (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roll cage & interior)
10912	Cage, body (complete with assembly hardware) (attaches to #10911 body)
10927	Cage, body (left & right) (attaches to #10911 body)
10928	Crossbars, body cage (front & rear) (attaches to #10911 body)
10935	Crossbars, body cage (top, middle, interior & roof)/ step rails (left & right) (attaches to #10911 body)
10914	Interior, body/ interior accessories/ mounting hardware (attaches to #10911 body)
10923	Latch, body mount, front (left & right)/ 3x15mm CS (16) (for clipless body mounting) (attaches to #10911 body)
10913	Wing/ 4x20mm BCS (4)

Brake Components

10951-BLUE	Brake calipers, front (left & right) (blue-anodized 6061-T6 aluminum)/ 3x10mm CS (with threadlock) (4)/ 2.5x8mm BCS (with threadlock) (4)
10951-GRN	Brake calipers, front (left & right) (green-anodized 6061-T6 aluminum)/ 3x10mm CS (with threadlock) (4)/ 2.5x8mm BCS (with threadlock) (4)
10951-ORNG	Brake calipers, front (left & right) (orange-anodized 6061-T6 aluminum)/ 3x10mm CS (with threadlock) (4)/ 2.5x8mm BCS (with threadlock) (4)
10951-RED	Brake calipers, front (left & right) (red-anodized 6061-T6 aluminum)/ 3x10mm CS (with threadlock) (4)/ 2.5x8mm BCS (with threadlock) (4)
10951	Brake calipers, front (left & right)/ 3x10mm CS (4)/ 2.5x8mm BCS (4)
10955	Brake disc, front (82mm) (stainless steel) (2)
10957	Brake flex cables, front
10958-BLUE	Brake linkage, front (blue-anodized 6061-T6 aluminum)/ mounting hardware
10958-GRN	Brake linkage, front (green-anodized 6061-T6 aluminum)/ mounting hardware
10958-ORNG	Brake linkage, front (orange-anodized 6061-T6 aluminum)/ mounting hardware
10958-RED	Brake linkage, front (red-anodized 6061-T6 aluminum)/ mounting hardware
10958	Brake linkage/ servo horn, front/ mounting hardware
10952	Brake piston/ brake cam, front/ 2.5x18mm screw pins (2)
10950	Servo saver spring

Bumpers & Skidplates

10933	Skid plate, center
10937	Skid plate, front (1)/ rubber impact cushion (1)
10939	Skid plate, rear

Chassis & Attachments

7833	Battery hold-down mounts, left (2)/ right (2)/ 4x15mm CCS (4)
7819	Battery hold-down/ battery compartment spacers/ foam pads
10915	Body mounts, rear (upper & lower)
7724X	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x15 CS (4)
10951	Brake calipers, front (left & right)/ 3x10mm CS (4)/ 2.5x8mm BCS (4)
10955	Brake disc, front (82mm) (stainless steel) (2)
10952	Brake piston/ brake cam, front/ 2.5x18mm screw pins (2)
10925	Bulkhead tie bar, front, upper (1)/ lower (2) (steel)
10934	Bulkhead, front (lower)/ cap
10920	Bulkhead, rear (lower)
10921	Bulkhead, rear (upper)
7822X	Chassis
10926	Chassis top brace
10987	Covers, gear (2)
7819X	Foam pads, battery compartment
10918	Mount, power supply
10922	Nerf bars, chassis (left & right)
7725X	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
10950	Servo saver spring
10938	Shock tower extensions, rear (left & right)/ mounts (left & right)
7799	Tires, rubber (2) (fits Traxxas® #7775X wheelie bar wheels)
10924	Tray, servo/ steering cover
10974	Wheelie bar, black (assembled)
7775	Wheels, wheelie bar (2)/ axles, wheelie bar (2)/ 10x15x4 plastic bushings (4) (for #7776, 8976, or 9576 wheelie bar)
7775X	Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)
7775A	Wheels, wheelie bar, 6061-T6 aluminum (dark titanium-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)
7775G	Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)
7775T	Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)
7775R	Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)

Differential Components

7781X	Carrier, differential (aluminum)/ (requires #7783X spider gear shaft)
5136X	Differential oil kit (1 each: 10K, 30K, 50K weights)
10986	Differential, rear, complete
10949	Drive cup, steel, extreme durability (1)/ 3x8mm CS (use only with #7750X & 7896 driveshafts) (machined, heat treated)
7782	Gear set, differential (output gears (2)/ spider gears (4)/ 16X23.5X.5 TW(2))
10979	Gear, differential, 32-tooth (heavy duty)
5041	Grease, premium high performance (20cc)
7780	Housing, differential (front/rear)
7780-BLUE	Housing, differential (front/rear), 6061-T6 aluminum (blue-anodized)
7780-GRAY	Housing, differential (front/rear), 6061-T6 aluminum (gray-anodized)
7780-GRN	Housing, differential (front/rear), 6061-T6 aluminum (green-anodized)
7780-ORNG	Housing, differential (front/rear), 6061-T6 aluminum (orange-anodized)
7780-RED	Housing, differential (front/rear), 6061-T6 aluminum (red-anodized)
7791	Pinion gear, differential, 11-tooth (rear) (heavy duty) (use with #7792 35-tooth differential ring gear)

Page 2 Funco® Pro Scale® Replica: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 109076-4) Parts List

7792	Ring gear, differential, 35-tooth (heavy duty) (use with #7790, #7791 11-tooth differential pinion gears)
7783X	Spider gear shaft (2)/ spacers (4)/16x23.5x.5 stainless washer (2) (for #7781X aluminum differential carrier)

Driveline Components

7750X	Driveshaft, steel constant-velocity (heavy duty, shaft only, 160mm) (1) (replacing #7750 also requires #7751X, #7754X and #7768 or #7768R)
10988	Mount, spur gear (fixed)
5040	Oil, differential (20M wt) (standard)
7791	Pinion gear, differential, 11-tooth (rear) (heavy duty) (use with #7792 35-tooth differential ring gear)
7751X	Rebuild kit, steel constant-velocity driveshaft (includes pins for 2 driveshaft assemblies (for use only with #7750X driveshaft)
7792	Ring gear, differential, 35-tooth (heavy duty) (use with #7790, #7791 11-tooth differential pinion gears)
10953-BLK	Stub axle, front, 6061-T6 aluminum (black-anodized)
10953-BLUE	Stub axle, front, 6061-T6 aluminum (blue-anodized)
10953-GRAY	Stub axle, front, 6061-T6 aluminum (gray-anodized)
10953-GRN	Stub axle, front, 6061-T6 aluminum (green-anodized)
10953-ORNG	Stub axle, front, 6061-T6 aluminum (orange-anodized)
10953-RED	Stub axle, front, 6061-T6 aluminum (red-anodized)
7758A	Wheel nuts, splined, 17mm, serrated (black-anodized) (4)
7758	Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)
7758-GRAY	Wheel nuts, splined, 17mm, serrated (gray-anodized) (4)
7758G	Wheel nuts, splined, 17mm, serrated (green-anodized) (4)
7758T	Wheel nuts, splined, 17mm, serrated (orange-anodized) (4)
7758R	Wheel nuts, splined, 17mm, serrated (red-anodized) (4)

Engine Detail

10981-SATIN	Engine block, satin chrome/ 3x25mm CS (4)
10981-GRAY	Engine block/ 3x25mm CS (4)
10982-BLKCR	Engine exhaust, black chrome/ 2.5x12mm CS (8)
10982-BLK	Engine exhaust/ 2.5x12mm CS (8)
10985-BLKCR	Engine intake, black chrome/ 3x12mm CS (1)/ 2.5x12mm CS (2)
10985-BLKGLS	Engine intake, black/ 3x12mm CS (1)/ 2.5x12mm CS (2)
10985-CHRM	Engine intake, chrome-plated/ 3x12mm CS (1)/ 2.5x12mm CS (2)
10984-BLK	Engine pulleys/ 2.5x12mm CS (6)
10978-RED	Engine supercharger, red

Front Suspension & Steering

7869	Bellcrank bushing, steering (1) (for use with #7843 aluminum steering bellcranks)
10925	Bulkhead tie bar, front, upper (1)/ lower (2) (steel)
10934	Bulkhead, front (lower)/ cap
10932-BLUE	Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized), left & right/ 3x8mm BCS (with threadlock) (6)
10932-GRN	Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized), left & right/ 3x8mm BCS (with threadlock) (6)
10932-ORNG	Caster blocks (c-hubs), 6061-T6 aluminum (orange-anodized), left & right/ 3x8mm BCS (with threadlock) (6)
10932-RED	Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized), left & right/ 3x8mm BCS (with threadlock) (6)
10932	Caster blocks (c-hubs), left & right
10926	Chassis top brace
7879-BLUE	Drag link, 6061-T6 aluminum (blue-anodized)
7879-GRAY	Drag link, 6061-T6 aluminum (gray-anodized)
7879-GRN	Drag link, 6061-T6 aluminum (green-anodized)
7879-ORNG	Drag link, 6061-T6 aluminum (orange-anodized)
7879-RED	Drag link, 6061-T6 aluminum (red-anodized)
7747-BLUE	Servo horn, steering, 6061-T6 aluminum (blue-anodized)
7747-GRAY	Servo horn, steering, 6061-T6 aluminum (gray-anodized)
7747-GRN	Servo horn, steering, 6061-T6 aluminum (green-anodized)
7747-ORNG	Servo horn, steering, 6061-T6 aluminum (orange-anodized)
7747-RED	Servo horn, steering, 6061-T6 aluminum (red-anodized)
7847	Servo horn, steering/ linkage, steering (48mm, assembled with pivot balls)
10950	Servo saver spring
7843-BLUE	Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, blue-anodized) (fits XRT® or Funco® Pro Scale® Replica)
7843-GRAY	Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, gray-anodized) (fits XRT® or Funco® Pro Scale® Replica)
7843-GRN	Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, green-anodized) (fits XRT® or Funco® Pro Scale® Replica)
7843-ORNG	Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, orange-anodized) (fits XRT® or Funco® Pro Scale® Replica)

7843-RED	Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, red-anodized) (fits XRT® or Funco® Pro Scale® Replica)
7843	Steering bellcranks/ servo saver/ servo saver spring/ draglink/ 3x20mm shoulder screws (2)
10936-BLUE	Steering blocks, 6061-T6 aluminum (blue-anodized) (left & right)/ 3x8mm BCS (with threadlock) (2)/ 4x35mm BCS (with threadlock) (2)
10936-GRN	Steering blocks, 6061-T6 aluminum (green-anodized) (left & right)/ 3x8mm BCS (with threadlock) (2)/ 4x35mm BCS (with threadlock) (2)
10936-ORNG	Steering blocks, 6061-T6 aluminum (orange-anodized) (left & right)/ 3x8mm BCS (with threadlock) (2)/ 4x35mm BCS (with threadlock) (2)
10936-RED	Steering blocks, 6061-T6 aluminum (red-anodized) (left & right)/ 3x8mm BCS (with threadlock) (2)/ 4x35mm BCS (with threadlock) (2)
10936	Steering blocks, left & right
7746X	Steering link, steel/ servo saver spring, heavy duty (use with #2085X metal gear servo)
10953-BLK	Stub axle, front, 6061-T6 aluminum (black-anodized)
10953-BLUE	Stub axle, front, 6061-T6 aluminum (blue-anodized)
10953-GRAY	Stub axle, front, 6061-T6 aluminum (gray-anodized)
10953-GRN	Stub axle, front, 6061-T6 aluminum (green-anodized)
10953-ORNG	Stub axle, front, 6061-T6 aluminum (orange-anodized)
10953-RED	Stub axle, front, 6061-T6 aluminum (red-anodized)
10930X-SLVR	Suspension arm, lower (left and right, front) (6061-T6 aluminum, silver-anodized)/ 3x6mm BCS (with threadlock) (10)
10931-CHRM	Suspension arm, lower (left, front) (1)
10930-CHRM	Suspension arm, lower (right, front) (1)
10931-BLUE	Suspension arm, lower, blue (left, front) (1)
10930-BLUE	Suspension arm, lower, blue (right, front) (1)
10931-GRN	Suspension arm, lower, green (left, front) (1)
10930-GRN	Suspension arm, lower, green (right, front) (1)
10931-ORNG	Suspension arm, lower, orange (left, front) (1)
10930-ORNG	Suspension arm, lower, orange (right, front) (1)
10931-RED	Suspension arm, lower, red (left, front) (1)
10930-RED	Suspension arm, lower, red (right, front) (1)
10929-CHRM	Suspension arm, upper (left or right, front) (2)
10929-BLUE	Suspension arm, upper, blue (left or right, front) (2)
10929-GRN	Suspension arm, upper, green (left or right, front) (2)
10929-ORNG	Suspension arm, upper, orange (left or right, front) (2)
10929-RED	Suspension arm, upper, red (left or right, front) (2)
10929X-SLVR	Suspension arms, upper (left & right, front) (6061-T6 aluminum, silver-anodized)/ 3x8mm BCS (with threadlock) (4)/ 2.5x6mm BCS (with threadlock) (4)
7743	Suspension pin retainer (4)
7743-BLUE	Suspension pin retainer, 6061-T6 aluminum (blue-anodized) (4)
7743-GRAY	Suspension pin retainer, 6061-T6 aluminum (gray-anodized) (4)
7743-GRN	Suspension pin retainer, 6061-T6 aluminum (green-anodized) (4)
7743-ORNG	Suspension pin retainer, 6061-T6 aluminum (orange-anodized) (4)
7743-RED	Suspension pin retainer, 6061-T6 aluminum (red-anodized) (4)
10940	Suspension pin set, front (left or right) (hardened steel)
7742	Suspension pin set, shock mount (front or rear, hardened steel), 4x25mm (2), 4x38mm (2)

Hardware

4859	CS 3x10 flathead (hex drive)
2584	Head screws, 3x12mm cap-head machine (hex drive) (6) (TRX® 2.5, 2.5R, 3.3)
3229	Screws, 2.5x10mm cap-head machine (hex drive) (6)
2577	Screws, 3x10mm button-head machine (hex drive) (6)
2587	Screws, 3x10mm caphead machine (6) (no washer)
2578	Screws, 3x12mm button-head machine (hex drive) (6)
2579	Screws, 3x15mm button-head machine (hex drive) (6)
2586	Screws, 3x15mm cap-head machine (hex drive) (6)
2581	Screws, 3x25mm button-head machine (hex drive) (6)
2575	Screws, 3x6mm button-head machine (hex drive) (6)
2576	Screws, 3x8mm button-head machine (hex drive) (6)
2657	Screws, 3x8mm caphead machine (hex drive) (6)
3931	Screws, 3x8mm flat-head machine (hex drive) (6)
2535	Screws, 4x10mm countersunk machine (hex drive) (6)
3937	Screws, 4x12mm button-head machine (hex drive) (6)
3938	Screws, 4x14mm button-head machine (hex drive) (6)
2594	Screws, 4x15mm button-head machine (hex drive) (6)
3933	Screws, 4x16mm button-head machine (hex drive) (6)
3929	Screws, 4x18mm button-head machine (hex drive) (6)

Page 3 Funco® Pro Scale® Replica: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 109076-4) Parts List

2547	Screws, 4x18mm countersunk machine (hex drive) (6)
2589	Screws, 4x20mm button-head machine (hex drive) (6)
2597	Screws, 4x22mm button-head machine (hex drive) (6)
2596	Screws, 4x25mm button-head machine (hex drive) (6)
2598X	Screws, 4x30mm button-head machine (hex drive) (6)
2595	Screws, 4x35mm button-head machine (hex drive) (6)
2743	Set (grub) screws, 3mm hardened (12)
3967	Shoulder screws 3x10 (6) (without threadlock)

LED Lights

6588X	Accessory power supply (regulated, 3V, 3 amp)/ power tap connector (with cable)/ 3x10 BCS (2)/ 2.6x8 BCS (2)
10959	Extension harness, LED lights
7883X	LED light bar, rear, red (with white reverse light) (high-voltage) (24 red LEDs, 24 white LEDs, 100mm wide)/ light bar mount (fits Maxx®, X-Maxx®, or XRT®)
10916	LED light bar, roof (curved, high-voltage) (44 white LEDs (single row), 180mm wide)
10999	LED light kit (underbody, damper-mounted) (requires #6588X accessory power supply or #10998 LED light kit)
10998-BLUE	LED light kit, blue, complete (underbody) (includes 3-volt accessory power supply, power harnesses & mounting hardware)
10998-GRN	LED light kit, green, complete (underbody) (includes 3-volt accessory power supply, power harnesses & mounting hardware)
10998-ORNG	LED light kit, orange, complete (underbody) (includes 3-volt accessory power supply, power harnesses & mounting hardware)
10998-RED	LED light kit, red, complete (underbody) (includes 3-volt accessory power supply, power harnesses & mounting hardware)
10917	LED light pods (left & right)/ mounting hardware
10996	LED light set, Funco® Pro Scale® Replica, complete (includes front light bar, rear light bar, side lights (left & right), and high-voltage power amplifier)
10918	Mount, power supply
10969-BLUE	Retainer, LED light pod (blue-anodized 6061-T6 aluminum) (2)
10969-GRN	Retainer, LED light pod (green-anodized 6061-T6 aluminum) (2)
10969-ORNG	Retainer, LED light pod (orange-anodized 6061-T6 aluminum) (2)
10969-RED	Retainer, LED light pod (red-anodized 6061-T6 aluminum) (2)
10992-BLUE	Whip light, LED, blue (assembled) (1)/ 3x12mm BCS (2) (replacement for 1 whip light, left or right) (requires #6588X accessory power supply)
10992-GRN	Whip light, LED, green (assembled) (1)/ 3x12mm BCS (2) (replacement for 1 whip light, left or right) (requires #6588X accessory power supply)
10992-ORNG	Whip light, LED, orange (assembled) (1)/ 3x12mm BCS (2) (replacement for 1 whip light, left or right) (requires #6588X accessory power supply)
10992-RED	Whip light, LED, red (assembled) (1)/ 3x12mm BCS (2) (replacement for 1 whip light, left or right) (requires #6588X accessory power supply)
3478	Wire harness (for use with #3475 cooling fan)
10919	Wire harness, power supply

Motors & Electronics

7749	Adapter, standard servo (adapts standard servo to fit in Maxx®, X-Maxx®, XRT® or Funco® Pro Scale® Replica)
3475	Cooling fan, Velineon® VXL ESC (fits VXL-6s & VXL-8s)
10987	Covers, gear (2)
3474X	Dual cooling fan kit, low profile (with shroud) (fits #3491 motor)
2087X	Gear set, metal (for 2085, 2085X, 2085XL servos)
3362X	Heat sink, low profile, Velineon® 1200XL
7760	Motor mounts (front and rear)/ pins (2)
7760-BLUE	Motor mounts, 6061-T6 aluminum (blue-anodized) (front & rear)
7760-GRAY	Motor mounts, 6061-T6 aluminum (gray-anodized) (front & rear)
7760-GRN	Motor mounts, 6061-T6 aluminum (green-anodized) (front & rear)
7760-ORNG	Motor mounts, 6061-T6 aluminum (orange-anodized) (front & rear)
7760-RED	Motor mounts, 6061-T6 aluminum (red-anodized) (front & rear)
3491	Motor, Velineon® 1200XL, brushless
3492	Rebuild kit, Velineon® 1200XL (includes plastic endbells (2), 6x17x6mm ball bearings (2), 6x8x.3 washer (1), 6x8x1 washer (1), 7x6x12 spacer (1))

2086	Servo case/gaskets (for 2085, 2085L, 2085R, 2085RL, 2085X & 2085XL servos)
2085XL	Servo, digital high-torque, metal gear (ball bearing), waterproof/ servo saver spring/ steering link
2085RL	Servo, digital high-torque/high-speed, metal gear (ball bearing), waterproof
7878X	Spacer, motor shaft (steel)/ e-clip (1)
3496T	Velineon® VXL-8s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
7759	Washers, motor mount, aluminum (blue-anodized) (4)/ 4x18mm BCS (4)
7759-GRAY	Washers, motor mount, aluminum (gray-anodized) (4)/ 4x18mm BCS (4)
7759G	Washers, motor mount, aluminum (green-anodized) (4)/ 4x18mm BCS (4)
7759-ORNG	Washers, motor mount, aluminum (orange-anodized) (4)/ 4x18mm BCS (4)
7759R	Washers, motor mount, aluminum (red-anodized) (4)/ 4x18mm BCS (4)

Radio System, Batteries & Chargers

2889X	5000mah 14.8v 4-Cell 25C LiPo Battery (long)
2890X	6700mah 14.8v 4-Cell 25C LiPo Battery
2938X	Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
1726	Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
2943	Battery charge indicators, green (4), grey (4), blue (4)
6548	Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
2914	Battery, Power Cell AA Alkaline (4)
2996X	Battery/charger completer pack (includes #2971 iD® charger (1), #2889X 5000 mAh 14.8V 4-cell 25C LiPo battery (1))
2997	Battery/charger completer pack (includes #2973 Dual iD® charger (1), #2890X 6700mAh 14.8V 4-cell 25C LiPo iD® Battery (2))
2973	Charger, EZ-Peak Live Dual, 200W, NiMH/ LiPo with ID Auto Battery Identification
2981	Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
6525	Communication link, telemetry expander
6565	Data link, telemetry expander (connects #6550X telemetry expander 2.0 to the #6590 high-voltage power amplifier)
6566	Data link, telemetry expander (connects #6550X telemetry expander 2.0 to the Velineon® #3465 VXL-4s, #3485 Velineon® VXL-6s, or #3496 Velineon® VXL-8s electronic speed control)
2971	EZ-Peak Live 12-amp NiMH/LiPo Fast Charger with iD® Auto Battery Identification and Bluetooth®
2087X	Gear set, metal (for 2085, 2085X, 2085XL servos)
2968X	LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
2968	LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
6533X	Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
6552	Seal kit, expander box (includes o-ring, seals, and silicone grease)
6531	Sensor, temperature & voltage (fits X-Maxx®, XRT® or Funco® Pro Scale® Replica)
6521	Sensor, temperature and voltage (long)
2086	Servo case/gaskets (for 2085, 2085L, 2085R, 2085RL, 2085X & 2085XL servos)
2085XL	Servo, digital high-torque, metal gear (ball bearing), waterproof/ servo saver spring/ steering link
2085RL	Servo, digital high-torque/high-speed, metal gear (ball bearing), waterproof
6553X	Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
6550X	Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
6551X	Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
6509A	TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
6507A	TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
6528X	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
6529X	Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)

6530X Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
6511 Traxxas® Link Bluetooth® module

Ready-To-Race Model

109076-4 Funco® Pro Scale® Replica: Brushless Electric 2WD Sand Car with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)®

Rear Suspension

7726 Bulkhead tie bar, upper (1)/ lower (2) (steel)
10920 Bulkhead, rear (lower)
10921 Bulkhead, rear (upper)
7852-BLUE Carriers, stub axle (blue-anodized 6061-T6 aluminum) (left & right)
7852-GRAY Carriers, stub axle (gray-anodized 6061-T6 aluminum) (left & right)
7852-GRN Carriers, stub axle (green-anodized 6061-T6 aluminum) (left & right)
7852-ORNG Carriers, stub axle (orange-anodized 6061-T6 aluminum) (left & right)
7852 Carriers, stub axle (rear) (left & right)
7852X Carriers, stub axle (rear) (left & right)/ 20x32x7mm bearings (2)/ 15x24x5mm bearings (2)
7852-RED Carriers, stub axle (red-anodized 6061-T6 aluminum) (left & right)
7716 Mount, tie bar, front (1)/ rear (1)
10938 Shock tower extensions, rear (left & right)/ mounts (left & right)
7838 Shock tower, rear (left & right halves)
7831 Suspension arm, black, lower (left, front or rear), heavy duty (1)
7830 Suspension arm, black, lower (right, front or rear), heavy duty (1)
7831X Suspension arm, blue, lower (left, front or rear), heavy duty (1)
7830X Suspension arm, blue, lower (right, front or rear), heavy duty (1)
7831-CHRM Suspension arm, chrome, lower (left, front or rear), heavy duty (1)
7830-CHRM Suspension arm, chrome, lower (right, front or rear), heavy duty (1)
7831G Suspension arm, green, lower (left, front or rear), heavy duty (1)
7830G Suspension arm, green, lower (right, front or rear), heavy duty (1)
7831T Suspension arm, orange, lower (left, front or rear), heavy duty (1)
7830T Suspension arm, orange, lower (right, front or rear), heavy duty (1)
7831R Suspension arm, red, lower (left, front or rear), heavy duty (1)
7830R Suspension arm, red, lower (right, front or rear), heavy duty (1)
7829-CHRM Suspension arms, chrome, upper (left or right, front or rear), heavy duty (2)
7743 Suspension pin retainer (4)
7743-BLUE Suspension pin retainer, 6061-T6 aluminum (blue-anodized) (4)
7743-GRAY Suspension pin retainer, 6061-T6 aluminum (gray-anodized) (4)
7743-GRN Suspension pin retainer, 6061-T6 aluminum (green-anodized) (4)
7743-ORNG Suspension pin retainer, 6061-T6 aluminum (orange-anodized) (4)
7743-RED Suspension pin retainer, 6061-T6 aluminum (red-anodized) (4)
10941 Suspension pin set, rear (left or right) (hardened steel)
7742 Suspension pin set, shock mount (front or rear, hardened steel), 4x25mm (2), 4x38mm (2)

Shock Oil

5031 Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032 Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033 Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034 Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035 Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036 Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037 Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029 Shock oil bottle (60cc) (for mixing shock oil)
5038X Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
5038 Spinning carousel rack

Shocks (GT-Maxx®)

10968-BLUE Body, GT-Maxx® shock, x-long (aluminum, blue-anodized) (1)
10968-GRN Body, GT-Maxx® shock, x-long (aluminum, green-anodized) (1)
10968-ORNG Body, GT-Maxx® shock, x-long (aluminum, orange-anodized) (1)
10968-RED Body, GT-Maxx® shock, x-long (aluminum, red-anodized) (1)
8962 Rebuild kit, GT-Maxx® shocks (lower cartridge, pistons, piston nuts, bladders, screws) (renews 2 shocks)
10966-BLUE Reservoirs, shocks (6061-T6 aluminum, blue-anodized) (front (2), rear (2))
10966-GRN Reservoirs, shocks (6061-T6 aluminum, green-anodized) (front (2), rear (2))
10966-ORNG Reservoirs, shocks (6061-T6 aluminum, orange-anodized) (front (2), rear (2))
10966-RED Reservoirs, shocks (6061-T6 aluminum, red-anodized) (front (2), rear (2))
10966-GRAY Reservoirs, shocks, front (2)/ 3x8mm BCS (2)
10967-GRAY Reservoirs, shocks, rear/ 3x8mm BCS (2)
10965 Shock caps, GT-Maxx® shocks (for 4mm pins)/ spring perch/ adjusters/ 2.5x14 CS (2) (for 2 shocks)
10964 Shock shafts, GT-Maxx®, 110mm (assembled with rod ends & hollow balls for 4mm pins) (steel, chrome finish) (2)
10964T Shock shafts, GT-Maxx®, 110mm (assembled with rod ends & hollow balls) (TiN-coated) (2)
10963 Shock shafts, GT-Maxx®, 72mm (assembled with rod ends & hollow balls for 4mm pins) (steel, chrome finish)
10963T Shock shafts, GT-Maxx®, 72mm (assembled with rod ends & hollow balls) (TiN-coated) (2)
10961-BLUE Shocks, GT-Maxx®, front, aluminum, blue-anodized (fully assembled w/o springs) (2)
10961-GRN Shocks, GT-Maxx®, front, aluminum, green-anodized (fully assembled w/o springs) (2)
10961-ORNG Shocks, GT-Maxx®, front, aluminum, orange-anodized (fully assembled w/o springs) (2)
10961-RED Shocks, GT-Maxx®, front, aluminum, red-anodized (fully assembled w/o springs) (2)
10962-BLUE Shocks, GT-Maxx®, rear, aluminum, blue-anodized (fully assembled w/o springs) (2)
10962-GRN Shocks, GT-Maxx®, rear, aluminum, green-anodized (fully assembled w/o springs) (2)
10962-ORNG Shocks, GT-Maxx®, rear, aluminum, orange-anodized (fully assembled w/o springs) (2)
10962-RED Shocks, GT-Maxx®, rear, aluminum, red-anodized (fully assembled w/o springs) (2)
8968X Spring retainer (adjuster), blue-anodized aluminum, GT-Maxx® shocks (4) (assembled with o-ring)
8968-GRAY Spring retainer (adjuster), gray-anodized aluminum, GT-Maxx® shocks (4) (assembled with o-ring)
8968G Spring retainer (adjuster), green-anodized aluminum, GT-Maxx® shocks (4) (assembled with o-ring)
8968A Spring retainer (adjuster), orange-anodized aluminum, GT-Maxx® shocks (4) (assembled with o-ring)
8968R Spring retainer (adjuster), red-anodized aluminum, GT-Maxx® shocks (4) (assembled with o-ring)
10942 Springs, shock (natural finish) (GT-Maxx®) (front) (2.462 rate) (2)
10944 Springs, shock (natural finish) (GT-Maxx®) (rear) (3.097 rate) (2)
10943 Springs, shock (natural finish) (GT-Maxx®) (rear) (4.003 rate) (2)

Spur Gears & Pinion Gears

6484X Gear, 11-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6485X Gear, 12-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6486X Gear, 13-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6488X Gear, 14-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6487X Gear, 15-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6489X Gear, 16-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6490X Gear, 17-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6491X Gear, 18-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6480X Gear, 19-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6494X Gear, 20-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)

6494R	Gear, 20-T pinion (machined, hardened steel) (1.0 metric pitch) (fits 5mm shaft)/ set screw
6493X	Gear, 21-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6495X	Gear, 22-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6481X	Gear, 23-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6496X	Gear, 24-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6492X	Gear, 25-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6497	Gear, 26-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw
6442	Spur gear, 46-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)
6447R	Spur gear, 46-tooth, steel (wide-face, 1.0 metric pitch)
6443	Spur gear, 50-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)
6450	Spur gear, 50-tooth (machined, hardened steel) (wide-face)/ gear, 20-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw
6448R	Spur gear, 50-tooth, steel (wide-face, 1.0 metric pitch)
6444	Spur gear, 54-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)
6449R	Spur gear, 54-tooth, steel (wide-face, 1.0 metric pitch)

Steering Components

7869	Bellcrank bushing, steering (1) (for use with #7843 aluminum steering bellcranks)
7879-BLUE	Drag link, 6061-T6 aluminum (blue-anodized)
7879-GRAY	Drag link, 6061-T6 aluminum (gray-anodized)
7879-GRN	Drag link, 6061-T6 aluminum (green-anodized)
7879-ORNG	Drag link, 6061-T6 aluminum (orange-anodized)
7879-RED	Drag link, 6061-T6 aluminum (red-anodized)
7747-BLUE	Servo horn, steering, 6061-T6 aluminum (blue-anodized)
7747-GRAY	Servo horn, steering, 6061-T6 aluminum (gray-anodized)
7747-GRN	Servo horn, steering, 6061-T6 aluminum (green-anodized)
7747-ORNG	Servo horn, steering, 6061-T6 aluminum (orange-anodized)
7747-RED	Servo horn, steering, 6061-T6 aluminum (red-anodized)
7847	Servo horn, steering/ linkage, steering (48mm, assembled with pivot balls)
7843-BLUE	Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, blue-anodized) (fits XRT® or Funco® Pro Scale® Replica)
7843-GRAY	Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, gray-anodized) (fits XRT® or Funco® Pro Scale® Replica)
7843-GRN	Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, green-anodized) (fits XRT® or Funco® Pro Scale® Replica)
7843-ORNG	Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, orange-anodized) (fits XRT® or Funco® Pro Scale® Replica)
7843-RED	Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, red-anodized) (fits XRT® or Funco® Pro Scale® Replica)
7843	Steering bellcranks/ servo saver/ servo saver spring/ draglink/ 3x20mm shoulder screws (2)
7746X	Steering link, steel/ servo saver spring, heavy duty (use with #2085X metal gear servo)
7748	Toe links, molded composite, 173mm (158mm center to center) (black) (2)
7748-BLK	Toe links, X-Maxx® (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7748X	Toe links, X-Maxx® (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7748-GRAY	Toe links, X-Maxx® (TUBES gray-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7748G	Toe links, X-Maxx® (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7748-ORNG	Toe links, X-Maxx® (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)

7748R	Toe links, X-Maxx® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
-------	---

Suspension Linkage

7798	Insert, threaded steel (replacement inserts for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X) (includes (1) left and (1) right threaded insert)
7797	Rod ends (4) (assembled with steel pivot balls) (replacement ends for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X)
7743	Suspension pin retainer (4)
7743-BLUE	Suspension pin retainer, 6061-T6 aluminum (blue-anodized) (4)
7743-GRAY	Suspension pin retainer, 6061-T6 aluminum (gray-anodized) (4)
7743-GRN	Suspension pin retainer, 6061-T6 aluminum (green-anodized) (4)
7743-ORNG	Suspension pin retainer, 6061-T6 aluminum (orange-anodized) (4)
7743-RED	Suspension pin retainer, 6061-T6 aluminum (red-anodized) (4)
10940	Suspension pin set, front (left or right) (hardened steel)
10941	Suspension pin set, rear (left or right) (hardened steel)
7742	Suspension pin set, shock mount (front or rear, hardened steel), 4x25mm (2), 4x38mm (2)
7748	Toe links, molded composite, 173mm (158mm center to center) (black) (2)
7748-BLK	Toe links, X-Maxx® (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7748X	Toe links, X-Maxx® (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7748-GRAY	Toe links, X-Maxx® (TUBES gray-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7748G	Toe links, X-Maxx® (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7748-ORNG	Toe links, X-Maxx® (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7748R	Toe links, X-Maxx® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)

Team Traxxas Items

2514	Decal sheet, racing sponsors
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

Tires & Wheels

10976-BLUE	Beadlock rings, front, blue (3.5") (2)
10976-CHRM	Beadlock rings, front, chrome (3.5") (2)
10976-GRN	Beadlock rings, front, green (3.5") (2)
10976-ORNG	Beadlock rings, front, orange (3.5") (2)
10976-RED	Beadlock rings, front, red (3.5") (2)
10977-BLUE	Beadlock rings, rear, blue (3.9") (2)
10948-BLUE	Beadlock rings, rear, blue (4.3") (2)
10977-CHRM	Beadlock rings, rear, chrome (3.9") (2)
10948-CHRM	Beadlock rings, rear, chrome (4.3") (2)
10977-GRN	Beadlock rings, rear, green (3.9") (2)
10948-GRN	Beadlock rings, rear, green (4.3") (2)
10977-ORNG	Beadlock rings, rear, orange (3.9") (2)
10948-ORNG	Beadlock rings, rear, orange (4.3") (2)
10977-RED	Beadlock rings, rear, red (3.9") (2)
10948-RED	Beadlock rings, rear, red (4.3") (2)
10972-BLKC	Tires & wheels, assembled, glued (Funco® Pro Scale® Replica black chrome wheels, dual profile tires (3.2" outer, 4.9" inner), foam inserts) (front) (1 left, 1 right)
10972	Tires & wheels, assembled, glued (Funco® Pro Scale® Replica black wheels, dual profile tires (3.2" outer, 4.9" inner), foam inserts) (front) (1 left, 1 right)
10971	Tires & wheels, assembled, glued (Funco® Pro Scale® Replica black wheels, ribbed tires, dual profile (3.2" outer, 4.9" inner), foam inserts) (front) (1 left, 1 right)

Page 6 Funco® Pro Scale® Replica: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 109076-4) Parts List

10973-BLKC	Tires & wheels, assembled, glued (Funco® Pro Scale® Replica Race black chrome wheels, belted paddle tires, dual profile (3.6" outer, 4.7" inner), foam inserts) (rear) (1 left, 1 right)	8712	Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive
10973	Tires & wheels, assembled, glued (Funco® Pro Scale® Replica Race black wheels, belted paddle tires, dual profile (3.6" outer, 4.7" inner), foam inserts) (rear) (1 left, 1 right)	8720	Speed bit handle, large (overmolded)
10947	Tires & wheels, assembled, glued (Funco® Pro Scale® Replica Race black wheels, Gravix® tires, foam inserts) (rear) (1 left, 1 right)	8721	Speed bit handle, medium (one piece)
7774A	Tires & wheels, assembled, glued (X-Maxx® black chrome wheels, Sledgehammer® tires, foam inserts) (left & right) (2)	8722	Speed bit handle, premium (rubber overmold)
7871X	Tires & wheels, assembled, glued (X-Maxx® black chrome wheels, Sledgehammer® belted tires, dual profile (4.3" outer, 5.7" inner), foam inserts) (left & right)	8710	Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
7877	Tires & wheels, assembled, glued (X-Maxx® black wheels, Gravix® tires, foam inserts) (left & right)	8711	Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive
7871	Tires & wheels, assembled, glued (X-Maxx® black wheels, Sledgehammer® belted tires, dual profile (4.3" outer, 5.7" inner), foam inserts) (left & right)	8719	Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive
7772G	Tires & wheels, assembled, glued (X-Maxx® green wheels, Maxx® AT tires, foam inserts) (left & right) (2)	8716	Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive
7774G	Tires & wheels, assembled, glued (X-Maxx® green wheels, Sledgehammer® tires, foam inserts) (left & right) (2)	8716X	Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive
7772T	Tires & wheels, assembled, glued (X-Maxx® orange wheels, Maxx® AT tires, foam inserts) (left & right) (2)	8715	Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive
7774T	Tires & wheels, assembled, glued (X-Maxx® orange wheels, Sledgehammer® tires, foam inserts) (left & right) (2)	8715X	Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive
7772R	Tires & wheels, assembled, glued (X-Maxx® satin chrome wheels, Maxx® AT tires, foam inserts) (left & right) (2)	8714	Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive
7862X	Tires & wheels, assembled, glued (XRT® Race black chrome wheels, Gravix® belted tires, dual profile (4.3" outer, 5.7" inner) foam inserts) (left & right)	2748R	Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm & 4mm wrench/ U-joint wrench)
7862	Tires & wheels, assembled, glued (XRT® Race black wheels, Gravix® belted tires, dual profile (4.3" outer, 5.7" inner), foam inserts) (left & right)	3415	Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm. 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)
7875	Tires & wheels, assembled, glued (XRT® Race black wheels, Maxx® AT tires, foam inserts) (left & right)	5480X	Wheel wrench, splined, 17mm
7876	Tires & wheels, assembled, glued (XRT® Race black wheels, Sledgehammer® tires, foam inserts) (left & right)	Turnbuckles & Threaded Rods	
7757	Wheel hex clips (6)	7798	Insert, threaded steel (replacement inserts for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X) (includes (1) left and (1) right threaded insert)
7756-BLK	Wheel hubs, hex (2)/ hex clips (2)	7797	Rod ends (4) (assembled with steel pivot balls) (replacement ends for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X)
7756X	Wheel hubs, hex, aluminum (blue-anodized) (4)	7748	Toe links, molded composite, 173mm (158mm center to center) (black) (2)
7756-GRAY	Wheel hubs, hex, aluminum (gray-anodized) (4)	7748-BLK	Toe links, X-Maxx® (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7756G	Wheel hubs, hex, aluminum (green-anodized) (4)	7748X	Toe links, X-Maxx® (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7756-ORNG	Wheel hubs, hex, aluminum (orange-anodized) (4)	7748-GRAY	Toe links, X-Maxx® (TUBES gray-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
7756R	Wheel hubs, hex, aluminum (red-anodized) (4)	7748G	Toe links, X-Maxx® (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
10954	Wheel hubs, hex, front (2)/ hex clips (2)	7748-ORNG	Toe links, X-Maxx® (TUBES orange-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
10954-BLUE	Wheel hubs, hex, front (6061-T6 aluminum, blue-anodized) (2)	7748R	Toe links, X-Maxx® (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (157mm) (2)/ rod ends, assembled with steel hollow balls (4)/ aluminum wrench, 10mm (1)
10954-GRN	Wheel hubs, hex, front (6061-T6 aluminum, green-anodized) (2)		
10954-ORNG	Wheel hubs, hex, front (6061-T6 aluminum, orange-anodized) (2)		
10954-RED	Wheel hubs, hex, front (6061-T6 aluminum, red-anodized) (2)		
7758A	Wheel nuts, splined, 17mm, serrated (black-anodized) (4)		
7758	Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)		
7758-GRAY	Wheel nuts, splined, 17mm, serrated (gray-anodized) (4)		
7758G	Wheel nuts, splined, 17mm, serrated (green-anodized) (4)		
7758T	Wheel nuts, splined, 17mm, serrated (orange-anodized) (4)		
7758R	Wheel nuts, splined, 17mm, serrated (red-anodized) (4)		
5480X	Wheel wrench, splined, 17mm		
Transmission Components			
10995	Adapter plate, ring gear		
10995-BLUE	Adapter plate, ring gear (blue-anodized 6061-T6 aluminum)/ 3x10mm BCS (with threadlock) (4)		
10987	Covers, gear (2)		
5041	Grease, premium high performance (20cc)		
5045	Grease, ultra high performance (30cc)		
10994	Idler gear, transmission (20-tooth)		
10960	Top gear, transmission (15-tooth)		
Traxxas Tools			
3433X	Body reamer (aluminum handle)		
3433	Body reamer (plastic handle)		
3436	Cap, body reamer		
3425	Rubber pit mat, 16x24x0.28		
3426	Rubber pit mat, 36x20		
3432	Scissors, curved tip		
3431	Scissors, straight tip		

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS
(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail [Traxxas.com](mailto:support@Traxxas.com)

TRAXXAS.COM

If you have questions or need technical assistance, call Traxxas at:

1-888-TRAXXAS

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail Traxxas at support@Traxxas.com

TRAXXAS.COM