





BUILDER'S KIT

TRAIL PROVEN OFF-ROAD PERFORMANCE

SCX10™

SCX10 II™ 2000 JEEP® CHEROKEE

1/10th SCALE ELECTRIC 4WD - KIT



axial®

www.axialracing.com



CAUTIONS

 **To prevent serious personal injury and/or property damage, operate all remotely controlled models in a responsible manner as outlined herein.**

CHOOSE THE RIGHT PLACE TO OPERATE YOUR R/C MODEL.

- Do not run on public streets or highways. This could cause serious accidents, personal injuries, and/or property damage.
- Never run R/C models near people or animals.
- To avoid injury, do not run in confined spaces.
- Do not run where loud noises can disturb others, such as hospitals and residential areas.
- Never run indoors. There is a high risk of fire and/or damage.

INSPECT YOUR MODEL BEFORE OPERATION.

- Make sure that all screws and nuts are properly tightened. It is also a good idea to use removable thread lock wherever metal screws go into metal, especially for engine mounts and the engine pilot shaft.
- Always use fresh batteries for your transmitter and for your receiver to avoid losing control of the model.
- Always test the brakes and throttle before starting your engine to avoid losing control of the model.
- Make sure no one else is using the same radio frequency as you are using.

AFTER OPERATION OF YOUR R/C MODEL

- Disconnect the battery from the ESC, then turn off the transmitter. This will prevent runaways.
- Be careful when handling batteries, they will be hot after running.
- Replace any batteries that have been dented or have frayed wires, short circuits can cause fire.
- Be sure to keep your R/C model clean and free of excess dirt and grease, this will increase the life.

VORSICHT!

 **Um Verletzungen an Personen und/oder Sachschäden zu vermeiden, sollten alle ferngesteuerten Modelle sorgfältig und verantwortungsbewusst bedient werden, wie nachfolgend beschrieben.**

Wählen Sie den richtigen Platz zum Fahren

- Fahren Sie niemals auf öffentlichen Straßen. Dies könnte Verkehrsunfälle, Personen schäden oder Sachschäden verursachen.
- Fahren Sie niemals in der Nähe von anderen Personen oder Tieren.
- Fahren Sie niemals auf belebten Straßen.
- Fahren Sie nie in der Nähe von Wohnhäusern oder Krankenhäusern. Der Lärm könnte andere Personen stören.
- Fahren Sie niemals in Innenräumen. Dort könnte etwas beschädigt werden.

Überprüfen Sie Ihr Modell, bevor Sie es in Betrieb nehmen.

- Gehen Sie sicher, dass alle Schrauben und Muttern festgezogen sind. Verwenden Sie überall dort Schrauben-Sicherungslack, wo Metallschrauben in ein Metallgewinde greifen, besonders bei den Motorhaltern.
- Um Störungen zu vermeiden, benutzen Sie immer voll geladene Akkus in Ihrem Sender und Empfänger.
- Bevor Sie den Motor starten, sollten Sie immer die Funktion der Bremse und des Gashebels testen.
- Gehen Sie sicher, dass niemand mit der gleichen Frequenz fährt wie Sie.

Nach Betrieb des RC Modells:

- Zuerst den Empfänger abdrehen, dann den Sender abdrehen um unkontrolliertes Durchgehen zu vermeiden.
- Seien Sie vorsichtig mit gebrauchten Akkus, sie können nach dem Gebrauch heiß sein.
- Ersetzen Sie Akkus/Batterien die beschädigt sind oder schadhafte Kabel aufweisen, sie können Kurzschlüsse oder Feuer verursachen.
- Halten Sie Ihr Fahrzeug sauber und entfernen Sie Schmutz und Schmierfett, damit erhöhen Sie die Lebensdauer Ihres Modells.

PRECAUTIONS

 **Afin d'éviter toutes blessures corporelles et/ou dommages environnants, veuillez procéder en toute responsabilité comme indiqué ci-dessous**

Choisir le lieu adéquat pour faire rouler votre modèle.

- Ne jamais rouler dans les rues ou sur les routes ouvertes au public. Ceci peut provoquer de graves accidents.
- Ne jamais rouler près de personnes ou d'animaux.
- Pour éviter les blessures, ne pas rouler dans des espaces confinés.
- Ne jamais rouler où le bruit peut déranger, comme aux abords des hôpitaux ou des quartiers résidentiels.
- Ne jamais rouler à l'intérieur: les gaz d'échappement sont nocifs.

Controler votre modèle avant chaque utilisation.

- Vérifier que les vis et les écrous sont bien serrés. Il est très fortement conseillé d'utiliser du frein filet pour bloquer les vis qui sont en contact avec du métal et tout particulièrement les vis du moteur.
- Toujours utiliser des batteries bien chargées pour l'émission et la réception.
- Toujours vérifier les freins et la commande des gaz avant de démarrer.
- Vérifier qu'aucune autre personne n'utilise votre fréquence radio.

Après l'Opération De Votre Modèle de R/C

- Le virage du récepteur premier, alors virage de l'émetteur, ceci empêchera des fugitifs.
- Faire attention en contrôlant des piles, ils auront chaud après avoir couru.
- Remplacer n'importe quelles piles qui ont été cabossées ou a éraillé des fils, les court-circuits peuvent causer le feu.
- Etre sûr de garder votre modèle de R/C nettoie et libère de terre et la graisse supplémentaires, ceci augmentera la vie.

Radio Gear / Fernsteueranlage / Equipement Radio

Radio control system

• You will need a 2-Channel radio system with one servo, receiver, an electronic speed control with an ON/OFF switch.

Fernsteueranlage



• Sie werden ein 2-Kanal Radio System mit einem Servo, Empfänger, eine elektronische Geschwindigkeitssteuerung mit einem Netzschalter brauchen.

Ensemble radiocommande


• Vous aurez besoin d'un système de radio de 2 Chaines avec un servo, l'écepteur, un contrôle de vitesse électronique avec un interrupteur(on-off).

- 4AA Alkaline Dry Batteries.
- 4 St. AA Trockenbatterien.
- 4 piles type R6 pour votre radio commande.

4x



Wheel & Trigger Type
Pistolen-Griff Typ
Type Volant et gachette




Receiver
Empfänger
Récepteur

On/Off Switch
An/Aus-Schalter
Interrupteur M/A

Steering servo
Lenkservo
Servo de direction

Motor / Motoren / Moteur

540 Size




Battery / Akku / Batterie


Battery / Akku / Batterie

Recommended Battery:
Standard 6-cell NiMH
Standard 2S Lipo

Max Size: 149mmx35mmx52mm




Tools Recommended / Benötigte Werkzeuge / Outillage




Hex wrench
Inbusschlüssel
Clé Allen


Socket driver
Steckdosezieher
Clé Douille



Side cutter
Seitenschneider
Pinces coupantes





Curved scissors
Schere
Ciseaux



Long nose pliers
Flachzange
Pinces à becs longs


Modeling knife
Modelliermesser
Couteau de modéliste






AX80006
Servo Set

x1



AX80029
Shock Cap Parts Tree


x4



AX80018


AX80018
Hardware Parts Tree

x2




AX80032
10mm Shock Parts Tree

x1




AX31114
WB8 V2 Driveshaft

x1




AX31375
SCX10 2
Speed Transmission Housing

x1




AX31415
1.9 Method Mesh Wheel
26mm wide

x4




AX31186
M4 Rod End Set

x3




AX31379
SCX10 skid plates

x1




AX31377
SCX10 2
Speed Transmission Motor Mount

x1




AX31378
SCX10 2
speed transmission gear cover

x1




AX31376
SCX10 2
Servo Mount set

x1



AX8079
Wheel Cap

x1




AX31027
Spur Gear 32P 56T


x1

AX31027
Spur Gear Bushing


x1




AX31380
SCX10 2 shock hoops **x1**




AX31381
AR44 Steering Knuckles **x1**




AX31383
AR44
Straight Axle adapters **x1**




AX31385
SCX10 Side Plates **x1**




AX31390
Jeep Cherokee Lens Set **x1**




AX31387
SCX10 2 Servo Mount set **x1**




AX31384
AR44 Diff Cover/Link Mounts **x2**




AX31382
AR44 Knuckle Carrier **x1**





AX31386
SCX10 2 Brace Set **x1**




AX31389
Jeep Cherokee Details Set **x1**




AX31388
SCX10 2 Battery Tray Set **x1**






AX31397
HD WB8
Shorty Driveshaft Set **x1**




AX31401
AR44 Axle Housing **x2**




AX31392
JCR Vanguard
Front Bumper Set **x1**




AX31393
JCR Vanguard
Rear Bumper Set **x1**




AX31395
JCR Offroad Roof Rack **x1**




AX31391
SCX10 2 Body Posts Set **x1**







AX30130
Icon Aluminum Shock Body 10x38mm **x4**




AX30131
Icon Aluminum Reservoir **x4**




AX30146
Shock Shaft 3x50mm **x4**




AX31145
Spring 12.5x60mm 2.63 lbs/in - (Yellow) **x2**




AX31441
Spring 12.5x60mm 1.13 lbs/in - (White) **x2**



AX31404
Axle Locker **x2**




AX31405
30T Ring Gear -0.9 Module - 3.75 ratio **x2**



AX31405
8T Pinion Gear 0.9 module - 3.75 ratio **x2**




AX31410
Transfer case output shaft **x1**




AX31411
3x18 Shaft **x1**



AX30413
Spring 8.5x12 **x1**




AX30427
12mm Aluminum Hub **x4**




AX31126
18T 48P 2 Speed Gear **x1**



AX31148
WB8-HD Joint Male Universal **x4**




AX31026
Slipper Plate **x2**




AX31416
36T 32P Gear **x1**



AX31148
WB8-HD Joint 10X15mm **x4**




AX31068
Slipper Pad **x2**




AX30394
20T Drive Gear **x2**




AX31148
4.5x6.5mm Joint Pin **x4**




AX31409
26T 48P Gear **x1**




AX30726
Pinion 32P 15T **x1**




AX31083
Radio Box Seals **x1**




AX31402
AR44 UVJ Axle Assembly **x2**




AX31408
AR44 Rear Axle Shaft **x2**



AX31413
2 Speed Bottom Shaft **x1**



AX31414
2 Speed Top Shaft **x1**




AX31419
7.5x80mm link **x2**




AX31420
7.5x101.5mm link **x2**




AX31421
7.5x71mm link **x1**




AX31422
7.5x93mm link **x2**



AX31423
7.5x56.5mm link **x2**



AX31424
7.5x107mm link - steering **x1**



AX31418
SCX10 2 Chassis Plate **x1**



AXA1179
O-Ring 2.5x1.5mm

x12



AXA1163
O-Ring 7x1mm

x4



AXA1070
Washer 3x6x0.5mm

x1



AX30162
Pin 1.5x8mm

x3



AX30168
Pin 2x8mm

x2




AX30163
Pin 2x10mm

x4



AX31028
PIN 2.0 x11

x4



AXA1059
6mm Body Clip

x5



AX31374
3mm Body Clip

x4



AXA1392
E2 e-clip

x8



AXA1045
M4 Nylon Lock Nut

x5



AXA1052
M3 Thin Nylon Locking Nut

x1




AXA1218
Bearing 5x10x4mm

x6




AXA1221
Bearing 5x11x4mm

x12



AXA1230
Bearing 10x15x4mm

x2




AX31406
Bearing 7x14x3.5mm

x4



AX31407
Bearing 5x14x5mm

x2



AXA0286
Screw Shaft M4x2.5x13mm

x13



AXA180
M3x3mm Set Screw

x4



AXA291
M4x4mm Set Screw

x1



AX31343
M4x20mm Set Screw

x20



AX31194
M2.6x4mm Hex Socket Button Head

x2



AX31280
M2.6x6mm Hex Socket Button Head

x4



AX31373
M2.6x8mm Hex Socket Button Head

x19



AXA0113
M3x6mm Hex Socket Button Head

x3



AXA114
M3x8mm Hex Socket Button Head

x7



AXA115
M3x10mm Hex Socket Button Head

x8



AXA116
M3x12mm Hex Socket Button Head

x3



AXA117
M3x15mm Hex Socket Button Head

x24



AXA118
M3x18mm Hex Socket Button Head

x3




AXA119
M3x20mm Hex Socket Button Head

x2



AXA120
M3x25mm Hex Socket Button Head

x2



AX31403
Shoulder Screw M3x4.5x10mm

x4



AXA013
M2x6mm Hex Socket Cap Head

x6



AX31066
M2x8mm Hex Socket Cap Head

x6



AX31398
M2.6x12mm Hex Socket Cap Head

x8



AX31399
M2.6x18mm Hex Socket Cap Head

x8



AXA087
M3x16mm Hex Socket Cap Head

x4



AXA0109
M3x10mm Oversized Flat Hex Socket

x10



AX31372
M2.6x8mm Hex Socket Flat Head

x9



AXA0055
M2.6x12mm Hex Socket Flat Head

x2



AXA144
M3x8mm Hex Socket Flat Head

x5



AX31120
M3x10mm Hex Socket Flat Head

x4



AXA146
M3x12mm Hex Socket Flat Head

x10



AXA148
M3x18mm Hex Socket Flat Head

x11




AXA150
M3x25mm Hex Socket Flat Head


x2

A**Open Bag A****1****Open Plastic Bag 1**


AX31066
M2x8mm **x6**




AX31406
7x14x3.5mm **x4**



AX31404
Axle Locker **x2**




AX31405
30T Ring Gear -0.9 Module - 3.75 ratio **x2**




AX31405
8T Pinion Gear 0.9 module - 3.75 ratio **x2**





AX31399
M2.6x18mm **x8**




AXA1221
5x11x4mm **x2**




AX31407
5x14x5mm **x2**

1**x2****2****x2**



AXA1230
10x15x4mm **x2**




AXA1221
5x11x4mm **x4**



AXA117
M3x15mm **x2**

3 Front



AX31402
AR44 UVJ Axle Assembly **x2**

caster needs to be set at 10 degrees.

NO!


OK!

10°

OK!


OK!

Left




AX31403
M3x4.5x10mm **x4**

4 Front




5 Rear





AXA31398 x8
M2.6x11mm



6





Note Direction



Note Direction of differential gears.

Front



Note Direction




B**Open Bag B****7 Front****AX31343**
M4x20mm **x6****8 Front****AXA119**
M3x20mm **x1****AXA117**
M3x15mm **x2**


AX31343
M4x20mm x4

9 Front

! Note direction of link ends.



1:1




AX31343
M4x20mm x2

10 Front

! Note direction of link ends.

! Note Direction



1:1






AXA120
M3x25mm **x1**




AXA117
M3x15mm **x2**

11 Front




AX31343
M4x20mm **x4**

12 Rear



AX31343
M4x20mm **x4**

13 Rear









AXA120
M3x25mm **x1**




AXA117
M3x15mm **x2**

14 Rear



C**Open Bag C****2****Open Plastic Bag 2****AXA1179**
O-Ring 2.5x1.5mm **x8****AXA1392**
E2 e-clip **x8****AX30146**
Shock Shaft 3x50mm **x4****AXA1163**
O-Ring 7x1mm **x4****AXA013**
2x6mm **x4****15****16****Front****AX31145 X2**
Spring 12.5x60mm
2.63 lbs/in - (Yellow)**Rear****AX31441 X2**
Spring 12.5x60mm
1.13 lbs/in - (White)**17**

D**Open Bag D****18**

AX31413
2 Speed Bottom Shaf **x1**




AX31414
2 Speed Top Shaft **x1**



AXA1221
5x11x4mm **x4**



AX30168
2x8mm **x2**



AX31126
18T 48P 2 Speed Gear **x1**


AX31416
36T 32P Gear **x1**



AXA116
M3x12mm **x1**



AXA148
M3x18mm **x4**



AXA150
M3x25mm **x2**




AXA146
M3x12mm **x1**




AX30162
1.5x8mm **x3**



AXA1218
5x10x4mm **x6**



AX31409
26T 48P Gear **x1**




AX30394
20T Drive Gear **x2**

20

AX31410
Transfer case output shaft **x1**



AX31411
3x18 Shaft **x1**







AXA148
M3x18mm **x3**




AX30413
Spring 8.5x12 **x1**



AX31026
Slipper Plate **x2**




AX31068
Slipper Pad **x2**




AXA1045
M4 Nylon Lock Nut **x1**

21



22



23




AXA291
M4x4mm **x1**



AXA055
M2.6x12 mm **x2**








AXA0109
M3x10mm **x2**




AX30726
Pinion 32P 15T **x1**

*Motor Not Included




E**Open Bag E****3****Open Plastic Bag 3****AXA144**
M3x8mm**x2****AX31028**
Pin 2 x11mm**x2****AX31148**
WB8 V2 Joint Male Universal**x2****AX31148**
WB8 V2 Joint 10x15mm**x2****AX31148**
4.5x6.5mm Joint Pin**x2****AXA144**
M3x8mm**x2****AX31028**
Pin 2 x11mm**x2****AX31148**
WB8 V2 Joint Male Universal**x2****AX31148**
WB8 V2 Joint 10x15mm**x2****AX31148**
4.5x6.5mm Joint Pin**x2****24 Front****25 Rear**



AXA0286
M4x2.5x13mm **x2**

26




AXA146
M3x12mm **x2**



AXA116
M3x12mm **x2**



27




F**Open Bag F**

AX31373 x3
M2.6x8mm

Adjust to the appropriate range.

**28**


AXA114 x4
M3x8mm

29



AXA114 x2
M3x8mm

AXA0109 x4
M3x10mm

Suitable servo size.





Adjust to the appropriate range.



! Note Direction


Front

Rear




-  **AXA0113**
M3x6mm **x1**
-  **AXA115**
M3x10mm **x1**
-  **AX31120**
M3x10mm **x2**

31



-  **AX31373**
M2.6x8mm **x1**
-  **AXA114**
M3x8mm **x1**
-  **AXA115**
M3x10mm **x3**
-  **AXA144**
M3x8mm **x1**
-  **AXA146**
M3x12mm **x3**

32



33




AXA0113
M3x6mm **x1**



AXA115
M3x10mm **x1**



AX31120
M3x10mm **x2**



34




AX31373
M2.6x8mm **x1**



AXA115
M3x10mm **x3**



AXA146
M3x12mm **x3**



35 Front




AXA0286
M4x2.5x13mm **x1**



AXA117
M3x15mm **x2**



AXA118
M3x18mm **x1**



AXA117
M3x15mm **x4**

36 Front

AXA117


Yellow Spring

AXA117

AXA117

Yellow Spring

AXA117



37 Front



AXA117
M3x15mm **x1**



AXA1052
M3 Thin Nylon Locking Nut **x1**




AXA0113
M3x6mm **x1**



AXA1070
3x6x0.5mm **x1**

Install when servo
is in neutral position



AX80006 **1**
23



Airtronics / JR / KO

AX80006 **2**
24

Hitec

AX80006 **3**
25


Futaba



38 Front




AXA117
M3x15mm **x1**




- AXA0286**
M4x2.5x13mm **x1**
- AXA117**
M3x15mm **x2**
- AXA118**
M3x18mm **x2**

39 Rear




- AXA117**
M3x15mm **x4**

40 Rear






AXA148
M3x18mm **x4**



AX31083
Radio Box Seals **x1**



*Receiver Not Included


2 Sided Tape

*ESC Not Included

2 Sided Tape



AXA0286
M4x2.5x13mm **x2**

42 Front




AXA0286
M4x2.5x13mm **x3**

43 Rear








AXA0286
M4x2.5x13mm

x4



Front



Rear




26mm





AXA0109
M3x10mm
x4




46



47









- AXA013**
M2x6mm **x2**
- AX31280**
M2.6x6mm **x4**

Option Parts




AX24252
Axial Double LED Light String

50




51

- AXA1179**
2.5x1.5mm **x4**
- AX31374**
3mm Body Clip **x4**
- AX31373**
M2.6x8mm **x2**
- AX31194**
M2.6x4mm **x2**






AX31373
M2.6x8mm **x6**


52



AX31373
M2.6x8mm **x6**



53





AXA1059
6mm Body Clip x4


54









Central Differential



Central Assembly





[illegible]

Parts List

Part #	Description	Part #	Description
AX30041	Velcro Strap 15x160mm	AX31419	Threaded Aluminum Link 7.5x80mm - Hard Anodized (2pcs)
AX30130	Icon Clear Anodized Aluminum Shock Body 10x38mm (2pcs)	AX31420	Threaded Aluminum Link 7.5x101.5mm - Hard Anodized (2pcs)
AX30131	Icon Clear Anodized Aluminum Shock Reservoir (2pcs)	AX31421	Threaded Aluminum Link 7.5x71mm - Hard Anodized (2pcs)
AX30146	Shock Shaft 3x50 (2pcs)	AX31422	Threaded Aluminum Link 7.5x93mm - Hard Anodized (2pcs)
AX30162	Pin 1.5x8mm (6pcs.)	AX31423	Threaded Aluminum Link 7.5x56.5mm - Hard Anodized (2pcs)
AX30163	Pin 2.0x10mm (6pcs.)	AX31424	Threaded Aluminum Link 7.5x107mm - Hard Anodized (2pcs)
AX30166	Pin 1.5x11mm (6pcs)	AX31441	Spring 12.5x60mm 1.13 lbs/in - (White) (2pcs)
AX30168	Pin 2x8mm (6pcs.)	AX80006	Servo Set
AX30394	20T Drive Gear	AX80018	Hardware Parts Tree
AX30413	Slipper spring 8.5x12 165 lbs/in - Black (2pcs)	AX80029	Shock Cap Parts Tree
AX30427	Axial Narrow 12mm Aluminum Hub - Black (4pcs)	AX80032	Shock Parts
AX30726	Pinion Gear 32P 15T (3mm shaft)	AX8079	Axial Hub Cover Set - Black (4pcs)
AX31026	Slipper Plate Washer 33x5x1.5mm (2pcs)	AXA0055	M2.6x12mm Flat Head (Black) (10pcs)
AX31027	Spur Gear 32P 56T	AXA0109	M3x10mm Oversized Flat Hex Socket (Black) (10pcs)
AX31028	Pin 2.0x11mm (6pcs)	AXA0113	M3x6mm Hex Socket Button Head (Black) (10pcs)
AX31068	Slipper Pad 32.8x15.2x1mm (2pcs)	AXA013	M2x6 mm Cap Head (Black) (10pcs)
AX31083	Radio Box Seals	AXA0286	Screw Shaft M4x2.5x12mm (6pcs)
AX31083	Radio Box Seals	AXA087	M3x16mm Cap Head (Black) (10pcs)
AX31114	WB8-HD Driveshaft	AXA1045	M4 Nylon Lock Nut (Black) (10pcs)
AX31120	M3x10mm Hex Socket Flat Head (Black) (10pcs)	AXA1052	M3 Thin Nylon Locking Hex Nut (Black)
AX31125	Yeti™ Fuel Cell	AXA1059	6mm Body clip (Black) (10pcs)
AX31145	Spring 12.5x60mm 2.63 lbs/in - (Yellow) (2pcs)	AXA1070	Washer 3x6x0.5 (10pcs)
AX31148	WB8-HD Driveshaft Coupler Set		M3x8mm Hex Socket Button Head (Black) (10pcs)
AX31186	M4 Rod End Set	AXA115	M3x10mm Hex Socket Button Head (Black) (10pcs)
AX31194	M2.6x4mm Hex Socket Button Head (Black) (10pcs)	AXA116	M3x12mm Hex Socket Button Head - Black (10pcs)
AX31280	M2.6x6mm Hex Socket Button Head (Black) (10pcs)	AXA1163	O-Ring 7x1mm (10pcs)
AX31337	2000 Jeep® Cherokee Body - .040" (Clear) - Body Only	AXA117	M3x15mm Hex Socket Button Head (Black) (10pcs)
AX31343	M4x20mm Set Screw (Black) (10pcs)	AXA1179	O-Ring 2.5x1.5mm (10pcs)
AX31372	M2.6x8mm Hex Socket Flat Head (Black) (10pcs)	AXA118	M3x18mm Hex Socket Button Head - Black (10pcs)
AX31373	M2.6x8mm Hex Socket Button Head (Black) (10pcs)	AXA119	M3x20mm Hex Socket Button Head (Black) (10pcs)
AX31374	3mm Body Clip (Black) (10pcs)	AXA120	M3x25mm Hex Socket Button Head (Black) (10pcs)
AX31375	SCX 2-Speed Transmission Case	AXA1218	Bearing 5x10x4mm (2pcs)
AX31376	SCX 2-Speed Transfer Case	AXA1221	Bearing 5x11x4mm (2pcs)
AX31377	SCX 2-Speed Transmission Motor Mount	AXA1230	Bearing 10x15x4mm
AX31378	SCX 2-Speed Transmission Spur Gear Cover	AXA1392	E2 e-clip (10pcs)
AX31379	SCX10 II Skid Plates	AXA144	M3x8mm Hex Socket Flat Head (Black) (10pcs)
AX31380	SCX10 II Shock Hoops	AXA146	M3x12mm Hex Socket Flat Head - Black (10pcs)
AX31381	AR44 Steering Knuckles	AXA148	M3x18mm Hex Socket Flat Head (Black) (10pcs)
AX31382	AR44 Steering Knuckle Carriers	AXA150	M3x25mm Hex Socket Flat Head (Black) (10pcs)
AX31383	AR44 Straight Axle Adapters	AXA180	M3x3mm Set Screw (Black) (10pcs)
AX31384	AR44 Differential Cover and Link Mounts (Red)	AXA291	M4x4mm Set Screw (Black) (6pcs.)
AX31385	SCX10 II Side Plates		
AX31386	SCX10 II Frame Braces		
AX31387	SCX10 II Servo Mounts		
AX31388	SCX10 II Battery Tray		
AX31389	2000 Jeep® Cherokee Exterior Details		
AX31390	Headlight and Turn Signal Lenses		
AX31391	SCX10 II Body Posts		
AX31392	JCROffroad Vanguard Front Bumper		
AX31393	JCROffroad Vanguard Rear Bumper		
AX31395	JCROffroad Roof Rack		
AX31397	WB8-HD Shorty Driveshaft		
AX31398	M2.6x12mm Cap Head (Black) (10pcs)		
AX31399	M2.6x18mm Cap Head (Black) (10pcs)		
AX31401	AR44 Axle Housing		
AX31402	AR44 Universle Axle Set (2pcs)		
AX31403	M3x4x10mm Hex Socket Button Head Shoulder Screw (Black) (6pcs)		
AX31404	AR44 Differential Locker		
AX31405	Heavy Duty Bevel Gear Set - 30T/8T		
AX31406	Bearing 7x14x3.5mm (2pcs)		
AX31407	Bearing 5x14x5mm (2pcs)		
AX31408	AR44 Straight Axle Shaft 5x106mm (2pcs)		
AX31409	48P 26T Transmission Gear		
AX31410	Transfer Case Output Shaft (5x37.5mm)		
AX31411	Gear Shaft (5x18mm)		
AX31412	1.9 BFGoodrich All-Terrain T/A KO2 - R35 Compound (2pcs)		
AX31413	2-Speed Hi/Lo Transmission Bottom Shaft (5x76.5mm)		
AX31414	2-Speed Hi/Lo Transmission Top Shaft (5x85.5mm)		
AX31415	1.9 Method Mesh Wheels - Black (2pcs)		
AX31416	32P 36T Transmission Gear		
AX31418	SCX10 II Chassis Rails (2pcs)		

Option Parts

Part #	Description	Part #	Description
AX04032	AX10 Ridgecrest Body - .040" (Clear)	AX31443	Spring 12.5x60mm 1.70 lbs/in - (Green) (2pcs)
AX04033	2012 Jeep Wrangler Unlimited Rubicon™ Body - .040" (Clear) - Body Only	AX31444	Spring 12.5x60mm 0.70 lbs/in - (Red) (2pcs)
AX04034	2012 Jeep Wrangler Unlimited Rubicon™ Roof - .040" (Clear)	AX4010	Axial Dingo Truck Body - .040" uncut (Clear)
AX04035	2012 Jeep Wrangler Unlimited Rubicon™ Body - .040" (Clear) - Complete	AX4010R	Axial Dingo Truck Body - .040" uncut (Clear) - Body Only
AX04038	Jeep® Wrangler Rock Racer Body - .040" (Clear) - Body Only	AX4025	Axial Trail Honcho Truck Body - .040" uncut (Clear) w/Molded Rear Cage
AX04039	AX10 Deadbolt Body - .040" (Clear) - Body Only	AX4025R	Axial Trail Honcho Truck Body - .040" uncut (Clear) - Body Only
AX08140	1.9 Walker Evans Street Wheel - Chrome/Black (2pcs)	AX80037	Interior Details Parts Tree - Black
AX12019	1.9 Maxxis Trepador Tires - R35 Compound (2pcs)	AX80038	Exterior Detail Parts Tree - Black
AX24003	20T Electric Motor	AX80039B	1/10th Scale Rear Plate Bumper Set
AX24007	Axial 55T Electric Motor	AX80040	1/10th Scale Fender Flare Set (2pcs)
AX24251	Axial NVS - Night Visions System	AX80041	1/10th Scale Rock Rails Set (2pcs)
AX24252	Axial Double LED Light String (White LED)	AX80044	Axial SCX10 Tube Bumper Parts Tree
AX24253	Axial Double LED Light String (Red LED)	AX80045	Axial Light Bucket Set (Black)
AX24254	Axial Double LED Light String (Orange LED)	AX80047	Interior Details Parts Tree - Chrome
AX24255	Axial Single LED Light String (White LED)	AX80048	Exterior Detail Parts Tree - Chrome
AX24256	Axial 5 LED Light String (White LED)	AX80049	Axial LED Lens Set - Yellow/Clear (4pcs)
AX24257	Simple LED Controller w/LED lights (4 white and 2 Red)	AX80085	Universal Mount 5 Bucket Light Bar (Black)
AX24258	4 LED Light String (White LED)	AX80086	Light Bar Lenses (Clear) (5pcs)
AX24259	Axial AE-2 Forward/Reverse ESC w/Drag Brake	AX80115	Light Bar Lens Grills (Axial, PIAA, Un-Marked)
AX24260	AE-3 Vanguard ESC	AX8080	Axial Hub Cover Set - Satin Chrome (4pcs)
AX30090	Axial 61-90mm Aluminum Shock Set - 7mm Piston (2pcs)	AX8087	Axial 1.9 8 Hole Beadlocks - Black (2pcs)
AX30103	Icon 61-90mm Aluminum Shock Set - 7mm piston (2pcs)	AX8088	Axial 1.9 8 Hole Beadlocks - Satin Chrome (2pcs)
AX30114	Axial Hard Anodized Aluminum Shock Reservoir (2pcs)	AX8122	Axial 1.9 Beadlock Ring - Grey (2pcs)
AX30115	Axial Hard Anodized Aluminum Pre-load collar (2pcs)	AX8127	Axial 1.9 Rock Beadlock Ring - Grey (2pcs)
AX30117	Axial Hard Anodized Aluminum Shock Body 10x38mm (2pcs)	AXA1046	M4 Serrated Nylon Lock Nut (Blue) (4pcs)
AX30130	Icon Clear Anodized Aluminum Shock Body 10x38mm (2pcs)	AXA1076	Cap Head Washer M3x10mm (4pcs)
AX30131	Icon Clear Anodized Aluminum Shock Reservoir (2pcs)	AXA1101	Cone Washer 3x6.9x2mm (6pcs)
AX30132	Machined Shock Piston 7mm - 1.5x3 (4pcs)	AXA1104	Cone Washer 3x6.9x2mm - Orange (6pcs)
AX30200	Spring 12.5x20mm 3.6 lbs/in - Super Soft (Red) - (2pcs)	AXA1105	Cone Washer 3x6.9x2mm - Grey (6pcs)
AX30201	Spring 12.5x20mm 4.32 lbs/in - Soft (White) - (2pcs)	AXA1331	Flanged Ball 3x5.8x7mm (6pcs)
AX30202	Spring 12.5x20mm 5.44 lbs/in - Medium (Green) - (2pcs)	AXA1412	0.5x6mm Spacer - Grey (6pcs)
AX30203	Spring 12.5x20mm 6.53 lbs/in - Firm (Yellow) - (2pcs)	AXA1413	1x6mm Spacer - Grey (6pcs)
AX30204	Spring 12.5x20mm 7.95 lbs/in - Super Firm (Blue) - (2pcs)	AXA1414	2x6mm Spacer - Grey (6pcs)
AX30205	Spring 12.5x40mm 2.7 lbs/in - Super Soft (Red) - (2pcs)	AXA1415	3x6mm Spacer - Grey (6pcs)
AX30206	Spring 12.5x40mm 3.6 lbs/in - Soft (White) - (2pcs)	AXA1416	4x6mm Spacer - Grey (6pcs)
AX30207	Spring 12.5x40mm 4.08 lbs/in - Medium (Green) - (2pcs)	AXA1417	5x6mm Spacer - Grey (6pcs)
AX30208	Spring 12.5x40mm 5.44 lbs/in - Firm (Yellow) - (2pcs)	AXA1418	6x6mm Spacer - Grey (6pcs)
AX30209	Spring 12.5x40mm 6.81 lbs/in - Super Firm (Blue) - (2pcs)	AXA1419	7x10mm Post - Grey (2pcs)
AX30487	AX10 Locked Transmission Set	AXA1420	7x15mm Post - Grey (2pcs)
AX30547	1.9 Internal Wheel Weight Ring 43g/1.5oz (2pcs)	AXA1421	7x20mm Post - Grey (2pcs)
AX30548	1.9 Internal Wheel Weight Insert 9g/0.33oz (4pcs) (for use with AX30547)	AXA1422	7x25mm Post - Grey (2pcs)
AX30709	Universal 5 Bucket Light Bar Set	AXA1423	7x30mm Post - Grey (2pcs)
AX30834	Aluminum Servo Horn 23T	AXA1424	7x35mm Post - Grey (2pcs)
AX30835	Aluminum Servo Horn 24T	AXA1425	7x40mm Post - Grey (2pcs)
AX30836	Aluminum Servo Horn 25T	AXA1426	7x45mm Post - Grey (2pcs)
AX30851	Steel Spur Gear 32P 48T	AXA1427	7x50mm Post - Grey (2pcs)
AX30852	Steel Spur Gear 32P 50T	AXA1428	7x55mm Post - Grey (2pcs)
AX30853	Steel Spur Gear 32P 52T	AXA1429	7x60mm Post - Grey (2pcs)
AX30854	Steel Spur Gear 32P 54T	AXA1430	7x65mm Post - Grey (2pcs)
AX31047	Brushless 3150KV Electric Motor	AXA1431	7x70mm Post - Grey (2pcs)
AX31093	1.9 BFGoodrich Krawler T/A - R35 Compound (2pcs)		
AX31094	1.9 Black Rock CRC Wheels - Black (2pcs)		
AX31097	3 Port High Output LED Controller		
AX31098	8 LED Light String (White LED)		
AX31143	1.9 Falken Wildpeak M/T - R35 Compound (2pcs)		
AX31176	Spawn Body - .040" (Clear)		
AX31250	M4 Serrated Nylon Lock Nut (Black) (10pcs)		
AX31267	Jeep® NuKizer 715 Body - .040" (Clear)		
AX31268	Jeep® Mighty FC Body - .040" (Clear)		
AX31312	35T Electric Motor		
AX31314	Aluminum Shock Body 12x47.5mm (Clear Anodized) (2pcs)		
AX31329	35T Trail Breaker Electric Motor (Rebuildable)		
AX31330	55T Trail Breaker Electric Motor (Rebuildable)		
AX31338	Trail Breaker Electric Motor Rebuild Kit		
AX31394	JCROffroad Vanguard Spare Tire Carrier		
AX31396	Winch Spool and Servo Mounts		
AX31437	AR44 Differential Cover and Link Mounts (Black)		
AX31442	Spring 12.5x60mm 3.03 lbs/in - (Blue) (2pcs)		

OFFICIALLY LICENSED TECHNICAL PARTNERS:



EXPLORE

facebook.com/axialinc | instagram.com/axialracing | twitter.com/axialrc
youtube.com/axialvideos | flickr.com/axialrc



Jeep and related logos, vehicle model names and trade dress are trademarks of Chrysler Group LLC and are used under license by Axial Inc. © Chrysler Group LLC 2016.

BFGoodrich® Tires and All-Terrain T/A® KO2 Trademarks are used under License from Michelin

©2016 Axial R/C, Inc. A subsidiary of Hobbico, Inc. All Rights Reserved.

AX90046-1001
2803882